

DUMPS ARENA

Nutanix Certified Professional - Multi cloud Infrastructure (NCP-MCI 5.15)

Nutanix NCP-MCI-5.15

Version Demo

Total Demo Questions: 15

Total Premium Questions: 278

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

Topic Break Down

Topic	No. of Questions
Topic 1, Main Questions	91
Topic 2, Extra Questions	187
Total	278

QUESTION NO: 1

What is default behavior for VM High Availability for Nutanix AHV?

- A. VMs restart on other hosts as available resource allow
- B. No VMs restart because HA is not enabled by default
- C. All VMs restart because system reservation are already made
- D. Only VMs with High Availability explicitly enabled will restart

ANSWER: A**QUESTION NO: 2**

When creating Windows 2016 Server VM on AHV, what must be available during the OS installation process?

- A. Nutanix Move
- B. Bootable USB
- C. Nutanix Guest Tools
- D. virtIO drivers

ANSWER: D**QUESTION NO: 3**

An administrator wants to create a trunked interface on a VM on AOS 5.15x.

Which two steps should the administrator take first to achieve this? (Choose two)

- A. Use acli
- B. Log in over PE web UI.
- C. SSH to CVM.
- D. Update VM dialog.

ANSWER: A C**QUESTION NO: 4**

An administrator wants to use Volumes to connect to physical servers that are not able to be virtualized.

Which three things must be configured for Volumes to support iSCSI clients? (Choose three)

- A. Enable external client access
- B. Client OS iSCSI initiator
- C. iSCSI Multipathing I/O
- D. Cluster Virtual IP address
- E. Data Services IP address

ANSWER: B D E

QUESTION NO: 5

The Linux administration team has requested access rights to any current or future Linux VM in the environment

What entity should be selected when assigning this new role?

- A. Image
- B. AHV Cluster
- C. Category
- D. Project

ANSWER: D

QUESTION NO: 6

An administrator has configured an Active-Active policy on the brO uplink of an AHV host. The host is experiencing connectivity issues. What step should be taken?

- A. Remove any 1GB NICs from br0
- B. Upgrade to AOS 5.11
- C. Set the host to Compute-Only
- D. Configure the top-of-rack switches for LAG and LACP

ANSWER: D

QUESTION NO: 7

An administrator needs to bring down a host in a Nutanix Cluster for maintenance reasons. The administrator puts the host in maintenance mode.

What should the administrator do to perform an orderly shutdown of the CVM?

- A. Execute the `cvm_shutdown -P new` command from the CVM.
- B. Enter Fever off Server - immediate from the IPMI console.
- C. Enter Fever off Server-orderly Shutdown from the IPMI console.
- D. Execute the `cvm_shutdown -P now` command from the host.

ANSWER: D

QUESTION NO: 8

Prism Central will be installed manually on an AHV cluster.

Which three disk images must be downloaded from the portal for the Prism Central VM? (Choose three.)

- A. var
- B. tmp
- C. boot
- D. home
- E. data

ANSWER: C D E


QUESTION NO: 9 - (HOTSPOT)

Async DR is configured between two sites. A network outage occurs at the primary site.

Which steps must the administrator perform to bring the VMs back into service at the backup site?

Item instructions: For each procedure, indicate the order in which that procedure must take place to meet the item requirements. Not all procedures are valid. Identify any invalid procedures using the drop-down option.

Procedure	Step
Log into Prism Element at the backup site	Select Invalid Step Step 1 Step 2 Step 3 Step 4
Reboot VMs	Select Invalid Step Step 1 Step 2 Step 3 Step 4
Go to the Async DR tab	Select Invalid Step Step 1 Step 2 Step 3 Step 4
Log into Prism Element at the primary Site	Select Invalid Step Step 1 Step 2 Step 3 Step 4
Select the Protection Domain and click Activate	Select Invalid Step Step 1 Step 2 Step 3 Step 4
Power on VMs	Select Invalid Step



ANSWER:

Procedure	Step
Log into Prism Element at the backup site	Invalid Step
Reboot VMs	Invalid Step
Go to the Async DR tab	Step 2
Log into Prism Element at the primary Site	Step 1
Select the Protection Domain and click Activate	Step 3
Power on VMs	Step 4

QUESTION NO: 10

Which two targets are valid options when selecting a Remote Site in Prism? (Choose two)

- A. Physical Cluster
- B. Network attached storage
- C. XI Cloud Services
- D. Tape Library
- E. Cloud

ANSWER: A E

QUESTION NO: 11

A VM in a 12-node Nutanix cluster is hosting an application that has specific Physical GPU requirements. Only three nodes in the cluster meet this requirement.

The administrator wants to allow a general workload to be distributed across all nodes in the cluster and must make sure that the node hosting the VM meets its requirements.

How should the administrator perform this task?

- A. Create a sperate three-node cluster using the nodes that meet the requirement.
- B. Configure VM-Host affinity for the nodes that meet the application's GPU requirement.
- C. Over-Provision the application VM with additional virtual GPUs.
- D. Configure anti-affinity rules between the application VM and the other VMs running on the cluster.

ANSWER: B**QUESTION NO: 12**

An administrator needs to convert an existing node to be a Compute Only node. Which two steps should the administrator take? (Choose two.)

- A. Update the license file
- B. Enable CO mode using aCLI
- C. Image the node as CO using Foundation
- D. Add the node to the cluster using Prism Element

ANSWER: B C**QUESTION NO: 13**

Which two targets are valid options when selecting a remote site to Prism? (Choose Two)

- A. XI Cloud Services
- B. Physical Cluster
- C. Network attached storage
- D. Cloud
- E. Tape Library

ANSWER: B D

QUESTION NO: 14

An administrator is installing license on a newly created cluster. The cluster is behind a DMZ with no connection to the internet.

Which two steps encompass the connect process to install licenses to the cluster? (Choose two)

- A. Temporally connect the cluster to the internet and follow process in prism.
- B. Enter the cluster summary file info on a system connected to the internet and download a license file.
- C. Copy the license file to a USB drive and upload to the cluster.
- D. Upload the license file downloaded to the cluster.

ANSWER: B D**QUESTION NO: 15**

An administrator has a 4-node Nutanix cluster running on Hyper-V. The administrator create a new storage container and makes that available to all hosts.

Which storage protocol should be administrator use for the hosts to gain access to the storage container?

- A. NFS
- B. iSCSI
- C. SMB/CIFS
- D. Fiber Channel

ANSWER: C