

DUMPS ARENA

Aruba Certified Switching Associate Exam

HP HPE6-A72

Version Demo

Total Demo Questions: 10

Total Premium Questions: 88

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

What is the process where a compute device converts logical data bits into the correct physical representation depending on the media?

- A. Demodulation
- B. Modulation
- C. Propagation
- D. Encapsulation

ANSWER: D**QUESTION NO: 2**

What are two OSPF attributes within the hello messages that must match to successfully establish neighbor relationships? (Choose two.)

- A. Router ID
- B. Priority
- C. Hello and Dead intervals
- D. Area ID
- E. Process ID

ANSWER: C D**QUESTION NO: 3**

Which two options are the Layer 2 protocols? (Choose two.)

- A. 802.1Q
- B. IPSec
- C. STP
- D. RIP
- E. 802.11af

ANSWER: A C


QUESTION NO: 4 - (HOTSPOT)

HOTSPOT

Click on the colored box that corresponds with the line that best represents Multicast traffic flow.


Hot Area:

Answer Area



ANSWER:

Answer Area



Explanation:

Blue Box

QUESTION NO: 5

Which two statements accurately describe stacking with Aruba switches? (Choose two.)

- A. A VSF stack is allowed between an AOS-CX 6300M and 6300F switches.
- B. VSF is a core or aggregation layer stacking technology due to the high resiliency of sharing a single control plane.
- C. The VSF feature is not compatible between AOS-CX and AOS platforms.
- D. A VSF stack is allowed between an AOS 5400R and an AOS-CX 6400.
- E. VSF and VSX are stacking option with the AOS-CX 8320, 8325, 8400, and 6400 models.

ANSWER: B E

QUESTION NO: 6

Refer to the exhibit

```
Access-1(config)# show vlan
-----
VLAN  Name                Status Reason          Type      Interfaces
-----
 1     DEFAULT_VLAN_1       up    ok              default   1/1/1-1/1/28
50     Engineering          down  no_member_port  static
```

What is true regarding VLAN 50 according to the diagram above?

- A. VLAN 50 is part of a switched virtual interface (SVI) that was never routed causing it to be down.
- B. Since VLAN 50 has not been assigned to any enabled physical port, the status is down.
- C. VLAN 50 is assigned only to Trunk ports which is why no ports are listed under interfaces.
- D. VLAN 50 was never added to the vlan-database and therefore is in a down state.

ANSWER: B

QUESTION NO: 7

Which two types of routes can be found in the IP routing table of an Aruba AOS-CX switch? (Choose two.)

- A. Local
- B. EIGRP
- C. BGP
- D. ISIS

E. RIPng

ANSWER: A C

QUESTION NO: 8

Refer to the exhibit.

```
Access-1(config-if)# show run int 1/1/1
interface 1/1/1
  no shutdown
  no routing
  vlan trunk native 1
  vlan trunk allowed all
  exit
Access-1(config-if)# vlan 100
Access-1(config-vlan-100)# exit
Access-1(config)#
```

What commands will successfully enable the SVI for vlan 100 on interface 1/1/1 to produce the results displayed in the command show ip interface brief in the exhibit below?

```
Access-1(config)# show ip interface brief
Interface IP Address Interface Status
1/1/2 No Address down/down
1/1/3 No Address down/down
1/1/4 No Address down/down
1/1/5 No Address down/down
Vlan100 10.1.1.1/24 up/up
```

A. Access-1(config)# interface 1/1/1
Access-1(config-if)# routing
Access-1(config-if)# interface vlan 100
Access-1(config-if-vlan)# ip address 10.1.1.1/24

B. Access-1(config)# interface 1/1/1
Access-1(config-if)# vlan trunk permit vlan 100
Access-1(config-if)# interface vlan 100
Access-1(config-if-vlan)# ip address static 10.1.1.1/24

C. Access-1(config)# interface vlan 100
Access-1(config-if-vlan)# ip address 10.1.1.1/24

D. Access-1(config-if)# vlan 100
Access-1(config-vlan)# ip address 10.1.1.1/24

ANSWER: C

QUESTION NO: 9 - (DRAG DROP)

DRAG DROP

Match each description to the correct term.

Select and Place:

Term

- ASIC
- Control Plane
- Data Plane
- Management Plane

Description

- receives and sends frames by using Application-Specific Integrated Circuits (ASICs)
- switches packets faster than using software
- determines packet forwarding using routing, switching, security, and flow optimization
- handles switch monitoring

ANSWER:

Term

ASIC
Control Plane
Data Plane
Management Plane

Description

Data Plane	receives and sends frames by using Application-Specific Integrated Circuits (ASICs)
ASIC	switches packets faster than using software
Control Plane	determines packet forwarding using routing, switching, security, and flow optimization
Management Plane	handles switch monitoring

Explanation:**QUESTION NO: 10**

You need to remote into an AOS-CX switch using SSH in order to update the management IP address for future connections. Unfortunately, you mis-configured the IP address and are now locked out of the switch.

What command could you have issued before making changes that would have recovered the original switch configuration after ten minutes?

- A. checkpoint rollback 10
- B. checkpoint auto 10
- C. checkpoint auto confirm 10
- D. boot system secondary 10

ANSWER: B