

DUMPS ARENA

PSE Palo Alto Networks System Engineer Professional - Prisma Cloud

Palo Alto Networks PSE-PrismaCloud

Version Demo

Total Demo Questions: 10

Total Premium Questions: 60

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Which three methods can provide application-level security for a web server instance on Amazon Web Services? (Choose three.)

- A. Traps
- B. Prisma SaaS
- C. Amazon Web Services WAF
- D. VM-Series firewalls
- E. Security Groups

ANSWER: A C D**QUESTION NO: 2**

Which RQL string searches for all EBS volumes that do not have a "DataClassification" tag?

- A. config where api.name = 'aws-ec2-describe-volumes, AND json.rule = tags[*]key contains DataClassification
- B. config where api.name = ,aws-ec2-describe-volumes' AND json.rule = tags[*]key != DataClassification
- C. config where api.name = ,aws-ec2-describe-volumes' AND json.rule = tags[*].key exists
- D. config where api.name = 'aws-ec2-describe-volumes' AND json.rule = tags[*].key = 1

ANSWER: B**QUESTION NO: 3**

What resource is required to receive inbound traffic from the internet to VM-Series NGFW deployed as a gateway for Azure Stack workloads?

- A. Public IP for the VM-Series NGFW
- B. NAT appliance
- C. Azure Stack Edge Router

D. Border Customer Network**ANSWER: B****QUESTION NO: 4**

Which RQL string monitors all traffic from the Internet and Suspicious IPs destined for your

Amazon Web Services databases"

- A.** network where source.publicnetwork IN ('Suspicious IPs') and dest.resource IN (resource where role IN ('AWS RDS', 'Database'))
- B.** network where source.publicnetwork IN ('Suspicious IPs', 'Internet IPs') and dest.resource IN (resource where role IN ('LDAP'))
- C.** network where dest.resource IN (resource where role = 'Database')}
- D.** network where source.publicnetwork IN ('Suspicious IPs', 'Internet IPs') and dest resource IN (resource where role IN ('AWS RDS', 'Database'))

ANSWER: D**QUESTION NO: 5**

What is required for an EC2 instance to access the internet directly from an AWS VPC?

- A.** Internet Gateway
- B.** Transit Gateway
- C.** Virtual Private Gateway
- D.** Customer Gateway

ANSWER: A**QUESTION NO: 6**

An administrator has deployed an AWS transit gateway and used multiple VPC spokes to segregate a multi-tier application. The administrator also created a security VPC with multiple VM-Series NGFWs in an active/active deployment model via ECMP using Amazon

Web Services VPN-based attachments.

What must be configured on the firewall to avoid asymmetric routing?

- A. source address translation
- B. destination address translation
- C. port address translation
- D. source and destination address translation

ANSWER: A

QUESTION NO: 7

Palo Alto Networks recommends which two options for outbound HA design in Amazon

Web Services using VM-Series NGFW? (Choose two.)


- A. iLB-as-next-hop
- B. transit gateway and security VPC with VM-Series
- C. traditional active/standby HA on VM-Series
- D. transit VPC and security VPC with VM-Series

ANSWER: B C


QUESTION NO: 8 - (DRAG DROP)

DRAG DROP


A customer has deployed a VM-Series NGFW on Amazon Web Services using a PAYG license. What is the sequence required by the customer to switch to a BYOL license?



ANSWER:



Explanation:



: backup, register, deploy, activate, load

QUESTION NO: 9

Which three anomaly policies are predefined in Prisma Public Cloud? (Choose three.)

- A. Excessive login failures
- B. Unusual user activity
- C. Denial-of-service activity
- D. Account hijacking attempts
- E. Suspicious file activity

ANSWER: A B D

Explanation:

: Account hijacking attempts

—Detect potential account hijacking attempts discovered by identifying unusual login activities. These can happen if there are concurrent login attempts made in short duration from two different geographic locations, which is impossible time travel, or login from a previously unknown browser, operating system, or location.

Excessive login failures

—Detect potential account hijacking attempts discovered by identifying brute force login attempts. Excessive login failure attempts are evaluated dynamically based on the models observed with continuous learning.

Unusual user activity

—Discover insider threat and an account compromise using advanced data science. The Prisma Cloud machine learning algorithm profiles a user's activities on the console, as well as the usage of access keys based on the location and the type of cloud resources.

<https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin/prisma-cloudpolicies/anomaly-policies.html>

QUESTION NO: 10

What are two ways to enable interface swap when deploying a VM-Series NGFW in

Google Cloud Platform? (Choose two.)

- A. run the PAN-OS CLI command: set system mgmt-interface-swap enable yes
- B. run the PAN-OS CLI command: set system mgmt-interface-swap setting enable yes
- C. create a bootstrap file that includes the mgmt-interface-swap command
- D. in the Google Cloud Console Metadata Field, enter a key-value pair where mgmtinterface-swap is the key and enable is the value

ANSWER: C D**Explanation:**

: <https://docs.paloaltonetworks.com/vm-series/8-1/vm-series-deployment/setup-the-vm-series-firewall-on-google-cloud-platform/deploy-the-vm-series-firewall-ongoogle-cloud/management-interface-mapping-for-google-internal-load-balancing.html>