

DUMPS ARENA

Citrix Virtual Apps and Desktops 7 Assessment Design and Advanced Configurations

Citrix 1Y0-403

Version Demo

Total Demo Questions: 10

Total Premium Questions: 99

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Scenario: A Citrix Architect needs to manage the disaster recovery (DR) process for a Citrix Virtual Apps and Desktops environment. The environment currently consists of an active data center typically accessed by users, and a DR data center used in the event that a disaster impacts the primary data center. Each data center hosts a separate Citrix Virtual Apps and Desktops Site. The overall environment has been designed to actively replicate user data and application data from the primary data center to the DR data center using Microsoft Distributed File System Replication (DFSR). Management has made it a priority to minimize the loss of data when failing over between data centers.

The primary data center suffers an outage that affects multiple components. As a result, management decides to fail over to the DR data center. The architect has blocked access to the primary data center to prevent new attempts to connect to its Citrix Virtual Apps and Desktops Site.

Which two actions must the architect perform to meet company priorities before enabling access to the DR data center? (Choose two.)

- A. Drain existing sessions from the primary data center.
- B. Complete data replication from the primary data center to the DR data center.
- C. Replicate the Site's SQL database backups to the DR data center.
- D. Evaluate the condition of the Citrix Virtual Apps and Desktops environment in the primary data center.
- E. Transport backup data repositories to the DR data center.

ANSWER: A B**QUESTION NO: 2**

Scenario: A Citrix Architect is designing a new Citrix Virtual Apps and Desktops environment. The environment consists of 4 Citrix Hypervisor hosts, each running 10 virtual machines (VMs). To meet company security standards for the environment, the IT team will need to perform routine VM snapshots, data backups, and threat scans.

Which two matters should the architect consider when securing a backup plan for the company? (Choose two.)

- A. Administrative access to the storage location that maintains backups and archived data should be monitored
- B. There are various delegated administrator roles that will have permissions to perform VM snapshots
- C. RAID technology is supported for secure VM backups and snapshots when using local host storage
- D. VM snapshots and data backups are NOT required for backup purposes if an enterprise-grade, geo-replicated, high-security storage solution is deployed
- E. Running simultaneous security scans on different VMs can reduce host resource utilization

ANSWER: D E

Explanation:

Reference: <https://www.vmware.com/products/vsphere/data-protection.html>

QUESTION NO: 3

Scenario: A Citrix Architect is designing a new Citrix Virtual Apps and Desktops Service environment in Citrix Cloud. The customer previously installed all applications locally on managed laptops and desktops, but is willing to evaluate other application delivery methods as part of the new deployment. The environment will be standardized on Windows 10 and Windows Server 2016 for the Virtual Delivery Agent (VDA) machines.

As part of an application analysis performed earlier in the project, the information in the exhibit was collected regarding 1 of the required applications.

Click the Exhibit button to view the information.

Category	Detail
Application Name	Workday
Description	Workday is an on-demand (web-based) financial management and human capital management application.
Usage	The application will be used by most employees in the organization.
OS Compatibility	The application is compatible with the target operating systems.
Special Considerations	Users must be subscribed to the application. To manage security, the application must be hosted and managed by another vendor and provided to the end user.

The customer has the additional objective of minimizing authentication cycles for users with no configuration efforts on user machines.

How should the architect publish the application?

- A. Through the Citrix Gateway Service as a Web/SaaS application
- B. Through Citrix Gateway as a Web/SaaS application
- C. As a streamed application using Microsoft App-V
- D. From Citrix Virtual Apps and Desktops Service

ANSWER: D

QUESTION NO: 4

Scenario: A Citrix Architect is designing a new Citrix Virtual Apps and Desktops environment. As part of graphics-mode design considerations, the architect discovered that one User Group requires a graphics mode that provides both good performance and high image quality.

Which graphics mode should the architect recommend be configured for this specific group?

- A. Visual quality = Build to Lossless
- B. Visual quality = Always Lossless
- C. Optimize for 3D graphics workload = Disabled
- D. Optimize for 3D graphics workload = Enabled

ANSWER: D

QUESTION NO: 5

Scenario: A Citrix Architect is designing a new Citrix Virtual Apps and Desktops environment. During the project kickoff meeting, the organization stated the following business priorities:

"Overall, we want a robust solution that ensures users' ability to access resources at any time, even if the primary data center experiences an outage. Since employees will need to access resources from both inside and outside the corporate network, we need to ensure that this is enabled in a secure manner to protect sensitive data." Which four design decisions align with the organization's stated business priorities? (Choose four.)

- A. Redundancy should be implemented for all infrastructure components
- B. Optimal Gateway Routing must be configured on StoreFront
- C. A multi-Site architecture and disaster recovery (DR) plan is required
- D. Server OS Virtual Delivery Agent (VDA) machines should be used to increase user density per machine
- E. Single-image management should be included in the design
- F. SmartAccess or SmartControl features should be considered for this environment
- G. Citrix ADC is required for this environment

ANSWER: A C F G

QUESTION NO: 6

Scenario: A customer who installed all applications locally on managed laptops and desktops is willing to evaluate other application delivery methods as part of a new design created by a Citrix Architect. The environment will be standardized on Windows 10 and Windows Server 2016 for the Virtual Delivery Agent (VDA) machines.

As part of an application analysis performed earlier in the project, the information shown in the exhibit was collected regarding 1 of the required applications.

Click the Exhibit button to view the information.

Category	Detail
Application Name	Workspace Inventory 3.0
Description	The inventory tracker and management software will be used by most users to perform data entry tasks. Managers will use the application to view data and create reports.
Usage	The application will be used by most employees in the organization.
OS Compatibility	The application is compatible with the target operating systems.
Special Considerations	None

Additionally, the customer has 3 objectives:

- Minimize the amount of additional infrastructure components.
- Utilize thin clients as endpoints in order to reduce costs.
- Prohibit direct user access to the thin client operating system.

How should the architect install the application?

- A. Install it directly on a VDA machine image and access it through 2 virtual desktop session.
- B. Install it directly on endpoint devices, and include it in a virtual desktop session using the Local App Access feature.
- C. Stream it to a VDA machine using Microsoft App-V and access it through a virtual desktop session.
- D. Install it on an Application Layer using Citrix App Layering, then present it to assigned users as an Elastic Layer during a virtual desktop.
- E. Install it on an Application Layer using Citrix App Layering and include it in a layered image, and access it through a virtual desktop session.

ANSWER: D

QUESTION NO: 7

Scenario: A Citrix Architect is designing a new Citrix Virtual Apps and Desktops environment. The architect's objective is to create a configuration to automatically reroute network traffic to the second NIC within the bond. The goal is to avoid a loss of productivity should the primary Citrix Hypervisor host NIC fail. Each hypervisor currently consists of a single, active 10 GB NIC and a second, dormant 1 GB NIC.

Which two network interface configurations should the architect implement? (Choose two.)

- A. Active-passive (LACP)
- B. Active-active (SLB)
- C. NIC teaming-bonding
- D. Active-active (LACP)

ANSWER: A B**Explanation:**Reference: <https://docs.citrix.com/en-us/xencenter/current-release/hosts-network.html>**QUESTION NO: 8**

Scenario: A Citrix Architect is designing a new Citrix Virtual Apps and Desktops environment. Currently, the environment is configured with 2 locations with identical Citrix Virtual Desktops Sites. Each Site has 2 Delivery Controllers, 2 StoreFront servers, and 1 Citrix ADC high-availability pair. The same applications have been published from both Sites for all users. Two zones (Zone A and Zone B) are configured in each Site with 1 Delivery Controller in each zone. The Microsoft Exchange server is only accessible from Virtual Delivery Agent (VDA) machines in Zone A in each Site.

Six access requirements have been identified:

- Users should have a single URL when accessing resources from different Sites.
- Users should always connect to the data center closest to their location.
- Applications added to Favorites within the Citrix Workspace app should be retained when accessed from different Sites. ▪ Launched applications and desktops should always connect through a local Citrix ADC.
- No duplication of applications published from different Sites. ▪ Microsoft Outlook should always launch in Zone A.

What should the architect recommend to ensure that Microsoft Outlook always launches from Zone A for every user?

- A. Configure zone preference based on user location.
- B. Configure Zone A as the application Home Zone for Microsoft Outlook.
- C. Move a Delivery Controller from Zone B to Zone A.
- D. Designate Zone A as the Home Zone for all users.

ANSWER: B**QUESTION NO: 9**

Scenario: A Citrix Architect is designing a new Citrix Virtual Apps and Desktops environment. While assessing the existing infrastructure, the architect determined that a number of users utilize legacy USB print devices that they will continue to need locally and within HDX sessions. The current HDX-optimized print virtual channel will NOT support these devices, so the architect decides that the Generic USB redirection channel should be used.

Which two factors must the architect consider when using Generic USB redirection? (Choose two.)

- A. It requires more network bandwidth compared to standard HDX virtual channels.
- B. Local access to printers will be lost until the HDX sessions is disconnected or ended.
- C. Manufacturer printer drivers will need to be installed on user workstations.

- D. The Citrix Virtual Channel Software Development Kit (VCSDK) will be required.
- E. It is supported for only USB 3.0 devices and features.

ANSWER: A D

QUESTION NO: 10

Scenario: A Citrix Architect designing a new Citrix Virtual Apps and Desktops environment needs to determine which endpoints to include. Based on discussions with various departments, the user requirements listed in the exhibit were collected.

Click the Exhibit button to view the requirements.

User Group	Typical Location	High-security User Group?	FlexCast Model Used	Peripheral Requirements	User Mobility	User Workload
Finance	Internal	Yes	Published Apps	None	None	Low
Product Development	Internal	Yes	Static/Persistent Hosted Desktop	USB Printers	None	High
Sales	Roaming	No	Published Apps and Desktops	USB Printers and Projectors	High	Medium

In addition to the user requirements, the architect must address the organizational requirement of minimizing endpoint management effort.

Which endpoint type should the architect use for the Sales Group, based on the requirements?

- A. Corporate-owned thin client
- B. Bring-your-own device (BYOD) laptop/notebook
- C. Corporate-owned smartphone
- D. Corporate-owned laptop/notebook
- E. Bring-your-own device (BYOD) smartphone

ANSWER: B