

DUMPS ARENA

National Council for Interior Design Qualification

Test Prep NCIDQ

Version Demo

Total Demo Questions: 10

Total Premium Questions: 45

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

The requirements for how bidders should propose a substitution is found in the _____.

- A. Advertisement to bid
- B. Bidding procedures
- C. Instructions to bidders
- D. General conditions

ANSWER: C**QUESTION NO: 2**

For a client who wants to hire the best contractor for a project at the best price and limit potentially nonqualified companies, the interior designer should suggest _____.

- A. An invitation to bid
- B. An advertisement to bid
- C. Prequalification of bidders
- D. A negotiated contract

ANSWER: C**QUESTION NO: 3**

Which of the following scales should NEVER be used for interior design construction drawings?

- A. 1/8 in = 1 ft
- B. 3/16 in = 1 ft
- C. 3/4 in = 1 ft
- D. 1 in = 1 ft

ANSWER: B

QUESTION NO: 4

Bid openings are typically attended by the contractors and the _____.

- A. Owner
- B. Interior designer
- C. Owner and interior designer
- D. Subcontractors, owner and interior designer

ANSWER: C**QUESTION NO: 5**

After construction on a project has begun, the client asks you to change the wallcovering originally specified to one that does not meet current code requirements.

Which of the following is your BEST course of action?

- A. Research available products that are similar to the requested product and meet the code requirements. Present the options to the client for approval.
- B. Write a letter to the client stating that the change is against your professional recommendation and that you will make the change but assume no liability.
- C. Write a letter to the client explaining that you will not make the requested change.
- D. Tell the client that you will remove the wallcovering from the project and that the client may select and install a different product after your work is completed.

ANSWER: A**QUESTION NO: 6**

A client who has a physical disability wants to install an elevator in a residence.

What is MOST important to consider?

- A. ADA guidelines and impact on the building envelope
- B. Elevator manufacturer electrical requirements
- C. Space planning and structural issues
- D. Sufficient floor-to-floor heights

ANSWER: C

QUESTION NO: 7

A quick-sketch perspective drawing could most easily be made by _____.

- A. Employing a computer model
- B. Plotting the perspective
- C. Tracing over a model photograph
- D. Using a perspective grid

ANSWER: D

QUESTION NO: 8

When the owner wants to make sure some amount of money is included in the bid for as-yet known materials, the interior designer should use _____.

- A. An allowance
- B. An add-alternative
- C. A material bond
- D. A unit price

ANSWER: A

QUESTION NO: 9

At the end of a commercial project, why should you require the HVAC system to be balanced?

- A. To verify that air quality levels are within the design specifications
- B. To detect significant air leaks in ductwork
- C. To adjust air flow at each device location to meet the criteria in the engineer's design
- D. To determine that each office is receiving the amount of outside air required by the design

ANSWER: C

QUESTION NO: 10

An interior designer is evaluating various alternatives for a particular building product as they relate to sustainability.

The interior designer would most likely use _____.

- A. An environmental impact study
- B. A life-cycle assessment
- C. An impact assessment
- D. A matrix comparison chart

ANSWER: B