

# DUMPS ARENA

## Forklift Theory

Test Prep FORKLIFT

Version Demo

Total Demo Questions: 10

Total Premium Questions: 125

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

**QUESTION NO: 1**

The brakes on the truck you are operating seem to be faulty. What are you going to do?

- A. Inform the supervisor.
- B. Stop immediately and seek assistance.
- C. Drive slower and get the fault checked at the next break time.
- D. As long as the parking brake works it will be normal to finish the job and then report the fault.

**ANSWER: B**

**QUESTION NO: 2**

The lift truck should normally be driven:

- A. at a speed consistent with the type of load and general working conditions.
- B. at a speed to maintain production and pressures of work.
- C. slowly and deliberately to avoid all potential hazards.

**ANSWER: A**

**QUESTION NO: 3**

Employers must provide training and evaluation with employees:

- A. once every 3 years.
- B. after a near-miss or an accident.
- C. if an employee has been observed operating a forklift in an unsafe manner.
- D. All of the above.

**ANSWER: D**

**QUESTION NO: 4**

Copies of forklift certifications as well as copies of the test taken and evaluations of the driving must be retained.

- A. True.
- B. False.

**ANSWER: A**

**QUESTION NO: 5**

Enforcement of the Health and Safety at Work Act 1974 (HASWA) is the responsibility of:

- A. the Health and Safety Commission (HSC).
- B. the European Commissions United Inspectors (ECU).
- C. the Health and Safety Executive and Local Authorities.
- D. the Police.

**ANSWER: C**

**QUESTION NO: 6**

Before leaving a forklift, lower the mast completely, turn off the engine and set the brake.

- A. False.
- B. True.

**ANSWER: B**

**QUESTION NO: 7**

Forklift accidents may occur when the vehicle:

- A. tips over or falls off loading dock.
- B. stalls.
- C. is not warming up.

**ANSWER: A**

**QUESTION NO: 8**

When travelling with a laden lift truck on level ground the position of the load should be:

- A. with the load raised well clear of the ground and full back tilt applied.
- B. with the load as close to the ground as practical, with back tilt applied to stabilize load.
- C. with the load just clear of the ground and level to improve operator visibility.

**ANSWER: B**

**QUESTION NO: 9**

Occupational Safety and Health Administration (OSHA) rules state that:

- A. only authorized employees can ride on the truck forks.
- B. no person can ride directly on truck forks.
- C. any employee can ride directly on truck forks when they are empty.

**ANSWER: B**

**QUESTION NO: 10**

The safe use of the hydraulic controls requires:

- A. parking brake applied.
- B. parking brake applied and transmission in neutral.
- C. clutch disengaged and foot brake applied.
- D. a fully charged battery.

**ANSWER: B**