

# DUMPS ARENA

## Emergency Medical Technician

Test Prep EMT

Version Demo

Total Demo Questions: 15

Total Premium Questions: 316

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

## Topic Break Down

Topic	No. of Questions
Topic 1, AIRWAY, RESPIRATION, AND VENTILATION	20
Topic 2, CARDIOLOGY AND RESUSCITATION	19
Topic 3, EMS OPERATIONS	19
Topic 4, MEDICAL AND OBSTETRICS/GYNECOLOGY	20
Topic 5, TRAUMA	238
<b>Total</b>	<b>316</b>

**QUESTION NO: 1**

Which of the following routes of entry is the most common cause of anaphylactic reaction?

- A. Contact
- B. Ingestion
- C. Inhalation
- D. Injection

**ANSWER: D****QUESTION NO: 2**

Select the best option to identify possible symptoms of a genitourinary (GU) injury.

- A. bloody stool, hematuria
- B. hematoma, ureteral bleeding
- C. perineal bleeding, ecchymosis
- D. hematuria, blood at opening of urethra

**ANSWER: D****QUESTION NO: 3**

Which of the following statements is correct about the arrangement of the anatomical structures from superiors to inferior?

- A. Tarsals, patella, ilium, acetabulum, cranium, mandible, orbits, zygomatic arches
- B. Zygomatic arches, manubrium, maxillae, coccyx, xiphoid process, tarsals, patella
- C. Xiphoid process, sternum, pelvis, femur, ulna, tibia, calcaneus
- D. Cranium, orbits, zygomatic arches, mandible, manubrium, ilium, acetabulum, patella, tarsals

**ANSWER: D**

**QUESTION NO: 4**

If your AED says, "no shock advised" because patient rhythm is asystole, what is your immediate next step?

- A. Begin CPR, starting with heart auscultation.
- B. Begin CPR, starting with two quick breaths.
- C. No intervention is needed.
- D. Begin CPR, starting with compressions.

**ANSWER: D****QUESTION NO: 5**

The physiological function of insulin is to promote utilization of glucose by the cells.

What would happen to a patient with a low level of insulin?

- A. Glucose would remain in the cell and would not be functional.
- B. The level of insulin outside of the cell would be insufficient and would not break down the glucose.
- C. The level of insulin inside the cell would be insufficient and would not break down the glucose.
- D. Glucose would remain on the outside of the cell and would not be broken down.

**ANSWER: D****QUESTION NO: 6**

Your 26-year-old female patient has been pulled out of a house fire. Her chest and arms have been burned. The area is charred and the patient states she has little pain in the burned area.

What is the most likely classification of this patient's burns?

- A. Full thickness
- B. Superficial partial thickness burns
- C. Deep partial thickness burns
- D. Superficial

**ANSWER: A**

**QUESTION NO: 7**

Which of the following is the antidote for the toxin Lead?

- A. Dialysis
- B. Naloxone
- C. CaEDTA
- D. Nitrite

**ANSWER: C**

**QUESTION NO: 8**

EMT's must wear high efficiency particulate air (HEPA) respirators while coming in contact with patients who are suffering with which of the following?

- A. Tuberculosis (TB)
- B. Hepatitis B
- C. HIV/AIDS
- D. Open Wounds

**ANSWER: A**

**QUESTION NO: 9**

A patient who is found unconscious after swimming in shallow water may have experienced \_\_\_\_.

- A. fatigue syndrome
- B. a near drowning episode
- C. decompression sickness
- D. breath holding-syncope

**ANSWER: D**

**QUESTION NO: 10**

What is the first step to consider in the process of caring for a patient in extreme cold with exposure?

- A. Check patient airway and stabilize.
- B. Prepare to prevent personal harm from cold exposure.
- C. Obtain patient temperature and begin warming patient.
- D. Assess MOI and begin warming patient.

**ANSWER: B**

#### QUESTION NO: 11

What is the time frame in which cardiogenic shock can occur after an acute myocardial infarction (AMI)?

- A. immediately and up to 24 hours after onset of AMI
- B. immediately and up to a week after the onset of AMI
- C. immediately and up to 48 hours after the onset of AMI
- D. between 24 hours and 48 hours after the onset of AMI

**ANSWER: A**

#### QUESTION NO: 12

The last step in a detailed physical assessment is to manage any secondary wounds.

- A. True
- B. False

**ANSWER: B**

#### QUESTION NO: 13

Which of the following is NOT considered a part of the patient's Signs and Symptoms?

- A. Environmental emergencies
- B. Behavioral issues
- C. The patient's last oral intake

D. Obstetrical conditions

**ANSWER: C**

**QUESTION NO: 14**

When treating a patient with a medical condition, the first thing you should ask is what medications he or she is taking.

- A. True
- B. False

**ANSWER: B**

**QUESTION NO: 15**

The most common electrical rhythm disturbance that causes sudden cardiac arrest is called:

- A. Ventricular Fibrillation
- B. Asystole
- C. Pulseless electrical cavity (PEA)
- D. Ventricular Tachycardia

**ANSWER: A**