

DUMPS ARENA

Implementing Cisco Collaboration Conferencing (CLCNF)

Cisco 300-825

Version Demo

Total Demo Questions: 10

Total Premium Questions: 59

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

How should an administrator configure Skype for Business to work with a Cisco Meeting Server cluster?

- A. with the CsTrustedApplicationPool on the Lync/Skype server to specify the Cisco Meeting Server Web Admin FQDN
- B. with the CsTrustedApplication Pool on the Lync/Skype server to specify port 5060
- C. with CsStaticRoute on the Lync/Skype server to the first Call Bridge in the cluster
- D. with the CsTrustedApplication Pool ComputerFqdn to the first Call Bridge in the cluster

ANSWER: A**Explanation:**

Reference: <https://www.cisco.com/c/en/us/support/docs/conferencing/meeting-server/212217-configure-cisco-meeting-server-and-skype.html#anc13>

QUESTION NO: 2

Which two data points must be included in the subject alternate names for a Cisco Meeting Server certificate? (Choose two.)

- A. URI of spaces that are hosted on the Call Bridge
- B. FQDN that is used to communicate with the service
- C. Common Name of the certificate
- D. administrator code and contract information
- E. subject of the certificate

ANSWER: C E**QUESTION NO: 3**

An administrator configures a Call Bridge to record meetings. Which two configuration elements tell the Call Bridge where to find the recording server? (Choose two.)

- A. tenants
- B. IVR
- C. DTMF combination

D. sipRecorderUri

E. outbound rules

ANSWER: A D

Explanation:

Reference: https://www.cisco.com/c/dam/en/us/td/docs/conferencing/ciscoMeetingServer/Deployment_Guide/Version-3-0/Cisco-Meeting-Server-3-0-Single-Combined-Server-Deployment.pdf

QUESTION NO: 4

Cisco Meeting Manager is deployed with an LDAP server that is configured with domain lab.local and search attribute sAMAaccountName. Which format should be used to log in to an account with the username "cmsadmin" in this deployment?

A. cmsadmin

B. lab.local\cmsadmin

C. cmsadmin@lab.local

D. lab\cmsadmin

ANSWER: C

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/conferencing/meeting-server/215910-configuring-ldap-users-on-cisco-meeting.html>

QUESTION NO: 5

<pre>CMS1> ipv4 a IPv4 configuration: address 10.0.101.120 default true dhcp false enabled true gateway 10.0.101.1 prefixlen 24 route 10.0.0.0/8 CMS1> ipv4 b IPv4 configuration: address 192.168.2.20 dhcp false enabled true gateway 192.168.2.1 prefixlen 24 route 192.168.0.0/16</pre>	<pre>Subnets: Headquarters: Network: 10.0.0.0/8 Services: All allowed Management Network: Network: 192.168.2.0/24 Services: Only HTTP, HTTPS, SSH, LDAP Remote Site: Network: 192.168.10.0/24 Services: All allowed</pre>
---	---

Refer to the exhibit. An administrator troubleshoots an issue with Cisco Meeting Server. Endpoints that call from the remote site cannot connect, but endpoints that call from headquarters can connect. What should the administrator do to resolve this issue?

- A. Add a route for 192.168.10.0/24 to interface b.
- B. Set interface b as the default interface.
- C. Remove the route for 192.168.0.0/16 from interface b.
- D. Enable DHCP on interface a but not on interface b.


ANSWER: A

QUESTION NO: 6 - (DRAG DROP)

DRAG DROP

Drag and drop the options from the left into the order on the right to make the call flow connect an endpoint that is registered to Cisco UCM to a Cisco Meeting Server meeting. Not all options are used.

Select and Place:



ANSWER:



Explanation:

QUESTION NO: 7

User A is attempting to call User

B. Both phones are registered to Cisco UCM. User A tries to add a third caller to the conversation but cannot complete the conference. Calls from User A into a Cisco Meeting Server space are working. Upon troubleshooting, it is discovered that the issue is caused by Cisco UCM not trusting a certificate. What certificate must be trusted by Cisco UCM to resolve this issue?

A. Database

B. Both phones are registered to Cisco UCM. User A tries to add a third caller to the conversation but cannot complete the conference. Calls from User A into a Cisco Meeting Server space are working. Upon troubleshooting, it is discovered that the

issue is caused by Cisco UCM not trusting a certificate. What certificate must be trusted by Cisco UCM to resolve this issue?
Web Admin

- C. Call Bridge
- D. Web Bridge

ANSWER: C

Explanation:

Reference: <https://www.ciscolive.com/c/dam/r/ciscolive/emea/docs/2019/pdf/LABCRT-2201.pdf>

QUESTION NO: 8

call 16 (John Smith): video round trip time of 1729 ms observed...

Refer to the exhibit. An administrator receives this log entry from a web user. In which two ways should the administrator gather diagnostic information? (Choose two.)


- A. Generate a call diagnostics file from logbundle.tar.gz using SFTP.
- B. Download the diagnostics file from the computer of the web app user.
- C. Generate a call diagnostics file from the MMP.
- D. Use an API to download the diagnostics file.
- E. Download the diagnostics file from the Web Admin.

ANSWER: B E

Explanation:

Reference: <https://www.cisco.com/c/dam/en/us/td/docs/conferencing/ciscoMeetingApps/Troubleshooting/Troubleshooter.pdf>

QUESTION NO: 9



Refer to the exhibit. A company wants external users to use the web app, and the administrator must configure TURN. Which two values for clientAddress and serverAddress should the administrator configure? (Choose two.)

- A. Client Address - 203.0.113.167
- B. Server Address - 10.4.26.98
- C. Server Address - 192.168.1.23
- D. Client Address - 192.168.1.23
- E. Client Address - 10.4.26.98
- F. Server Address - 203.0.113.167

ANSWER: A C

Explanation:

Reference: https://www.cisco.com/c/dam/en/us/td/docs/voice_ip_comm/expressway/config_guide/X8-10/CMS-Web-Proxy-Deployment-Guide_X8-10.pdf

QUESTION NO: 10

<p>Webbridge 1</p> <p>IP:192.168.1.23 FQDN: webbridge1.web.com</p> <p>Webadmin Port: 445 Webbridge3 HTTPs Port: 443 Webbridge3 C2W Port: 4444</p> <p>Webbridge3 C2W Certificate SANs: join.web.com webbridge1.web.com</p>	<p>Webbridge 2</p> <p>IP:192.168.1.24 FQDN: webbridge2.web.com</p> <p>Webadmin Port: 445 Webbridge3 HTTPs Port: 443 Webbridge3 C2W Port: 4444</p> <p>Webbridge3 C2W Certificate SANs: join.web.com webbridge2.web.com</p>	<p>Webbridge 3</p> <p>IP:192.168.1.25 FQDN: webbridge3.web.com</p> <p>Webadmin Port: 445 Webbridge3 HTTPs Port: 443 Webbridge3 C2W Port: 4444</p> <p>Webbridge3 C2W Certificate SANs: join.web.com webbridge3.web.com</p>
<p>Cluster Join FQDN: join.web.com Resolves to: 192.168.1.23 192.168.1.24 192.168.1.25</p>		

Refer to the exhibit. An administrator wants to set up three Web Bridges in a Cisco Meeting Server cluster. After the Web Bridge API object for Web Bridge 1 is configured, this error occurs in the Cisco Meeting Server logs: "C2W connection to 'c2w://join.web.com:443' failed (connect failure)".

What should the administrator change to fix this issue?

- A. c2w://192.168.1.23:4444
- B. c2w://192/168/1/23:443
- C. c2w://webbridge1.web.com:4444
- D. c2w://webbridge1.web.com:443

ANSWER: C

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/conferencing/meeting-server-1000/216028-how-to-configure-webbridge-3-on-cms.pdf>