

# DUMPS ARENA

## Hitachi Vantara Qualified Professional - VSP Midrange Family Installation

Hitachi HQT-4180

Version Demo

Total Demo Questions: 5

Total Premium Questions: 35

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

sales@dumpsarena.co  
dumpsarena.co

**QUESTION NO: 1**

Which tool can be used to change System Option Modes (SOMs)?

- A. Hitachi Ops Center
- B. Webconsole
- C. HSAe
- D. MPC software

**ANSWER: D**

**QUESTION NO: 2**

Which three RAID configurations are supported by VSP Midrange systems? (Choose three.)

- A. 2D + 2D
- B. 4D + 1P
- C. 7D + 1P
- D. 8D + 1P
- E. 10D + 2P

**ANSWER: B D E**

**QUESTION NO: 3**

Which tool is used for the remote monitoring of a VSP N800 system?

- A. Hitachi Remote Ops SVP Agent
- B. Hitachi Remote Ops Monitor Agent
- C. MPC Software
- D. Hitachi Performance Monitor

**ANSWER: B**

**QUESTION NO: 4**

You need to replace a broken fan in a VSP E1090.

What is the correct procedure?

- A. Use the MPC for blocking the fan, then replace it.
- B. Use the Maintenance Utility for stopping the fan, then replace it.
- C. Remove the broken fan, then replace it.
- D. Use Storage Navigator for blocking the fan, then replace it.

**ANSWER: C**

#### **QUESTION NO: 5**

You need to replace a broken disk drive on a VSP G700.

What are two prerequisites? (Choose two.)

- A. You must use the Replace button in the Maintenance Utility before removing the drive.
- B. You must wear a wrist strap for ESD protection.
- C. The red LED on the drive must be lit.
- D. The Drive Box where the drive is located must be powered down.

**ANSWER: A B**