

# DUMPS ARENA

## Specialist - Technology Architect. PowerMax and VMAX All Flash Solutions Exam

EMC DES-1111

Version Demo

Total Demo Questions: 10

Total Premium Questions: 60

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

**QUESTION NO: 1**

Which storage object must be created in Unisphere for PowerMax so that vCenter can automatically provision datastores to ESXi hosts?

- A. Storage Groups
- B. Storage Volumes
- C. Masking View
- D. Host Groups

**ANSWER: A****Explanation:**

Reference:

file:///Users/rahailsalamat/Downloads/Dell%20EMC%20VSI%20for%20VMware%20vSphere%20Client\_8.4\_Product\_Guide.pdf

**QUESTION NO: 2**

A customer is planning an SRDF/S implementation. They are concerned about the performance of their application when the initial synchronization of the data occurs.

Which SRDF mode should be used during the initial synchronization period?

- A. Mixed
- B. Adaptive copy disk
- C. Dynamic RDF
- D. SRDF/A

**ANSWER: B****Explanation:**

Reference: <https://www.delltechnologies.com/asset/en-us/products/storage/technical-support/docu95482.pdf>

**QUESTION NO: 3**

What happens to the space used for SnapVX delta tracks that are unique to a terminated snapshot?

- A. Not returned to SRP until the `-force fag` is used

- B. Not returned to SRP until all generations are terminated
- C. Returned to SRP only if it is mentioned explicitly
- D. Returned to the SRP by default

**ANSWER: C**

#### QUESTION NO: 4

What is the maximum number of front-end ports that can be configured on a PowerMax 8000?

- A. 128
- B. 192
- C. 256
- D. 320

**ANSWER: C**

**Explanation:**

Reference: <https://www.delltechnologies.com/asset/en-au/products/storage/technical-support/h16739-20PowerMax-2000-8000-ss.pdf>

#### QUESTION NO: 5

Where is the Unisphere performance database backup file stored on the Unisphere server host?

- A. \SMAS\backup\SPA
- B. \SMAS\backup\data
- C. \Program Files\EMC\backup
- D. \SYMAP\backup\SPA

**ANSWER: A**

**Explanation:**

Reference: <https://manpreetstorage.files.wordpress.com/2016/07/8-unisphere-vmax-implementation-and-management.pdf> (65)

#### QUESTION NO: 6

A storage architect is looking for best practices to expand an existing single V-Brick VMAX All Flash 250. They are planning to expand the VMAX configuration to a dual V-Brick model for better performance.

What is a consideration?

- A. Both V-Bricks must contain 1 TB of cache each
- B. RAID type of both V-Bricks must be the same
- C. Cache size of both V-Bricks must be equal
- D. Number of drives must be less than or equal to 96

**ANSWER: C**

**Explanation:**

Reference: <https://www.delltechnologies.com/asset/it-it/products/storage/technical-support/docu67503.pdf>

#### QUESTION NO: 7

SRDF/A has been enabled between two PowerMax arrays. An extended loss of all RDF links occurs.

What is the state of the RDF pair after link connectivity is restored?

- A. Split
- B. Failed Over
- C. Suspended
- D. Partitioned

**ANSWER: D**

**Explanation:**

Reference: <https://www.delltechnologies.com/asset/en-us/products/storage/technical-support/docu95482.pdf> (24)

#### QUESTION NO: 8

An architect plans to implement SRDF/A Legacy mode. What is a possible reason to do this?

- A. Decoupled cycle switching between R1 and R2 arrays
- B. Coupled cycle switching between R1 and R2 arrays
- C. Increased robustness of SRDF/A sessions and reduced DSE spillover
- D. More granular and predictable RPO at the R2 side.

ANSWER: A

Explanation:

Reference: [https://manpreetstorage.files.wordpress.com/2016/07/vmax-3-solution-design-student\\_guide.pdf](https://manpreetstorage.files.wordpress.com/2016/07/vmax-3-solution-design-student_guide.pdf)

QUESTION NO: 9 - (DRAG DROP)


<u>Item:</u>	<u>Description:</u>
Simple Support Matrix	Enables administrators to perform Dell EMC storage management tasks from vCenter
VSI Plug-in	Provides communications to the storage and data protection systems
Unisphere	Lists supported versions of Dell EMC storage systems and software
Solution Integration Service	Shows information about the status of integration services, plug-in setup, storage groups, and storage pool capacity
VSI Dashboard	Web-based application used to configure and manage PowerMax and VMAX All Flash storage systems

Match each item with its description.

ANSWER:

<u>Item:</u>	<u>Description:</u>
Simple Support Matrix	VSI Plug-in
VSI Plug-in	Solution Integration Service
Unisphere	Simple Support Matrix
Solution Integration Service	VSI Dashboard
VSI Dashboard	Unisphere

Explanation:

**QUESTION NO: 10**

The output file of a Linux Host Collection Utility does not match the BCSD parser format. What could be the reason?

- A. Incorrect LUNs specified
- B. Perform is not up to date
- C. BSCD is incorrectly configured
- D. OS patches are not up to date

**ANSWER: D**