

DUMPS ARENA

SAP Certified Application Associate - SAP HANA 2.0 (SPS05)

SAP C HANAIMP 17

Version Demo

Total Demo Questions: 10

Total Premium Questions: 80

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Why would you partition a table in an SAP HANA Cloud database? Note: There are 2 correct answers to this question.

- A. To improve response time when multiple users access the same table
- B. To overcome the 2 billion record limit
- C. To improve data replication performance on large row tables
- D. To improve query performance when accessing large column tables

ANSWER: B D**QUESTION NO: 2**

You have made changes to the design-time files of several calculation views in your DEV environment. These calculation views all belong to the same project. Before deploying your calculation views to a PROD environment, which sequence of steps is required in the DEV environment?

- A. Build the project -> Build the HDB module
- B. Export the HDB module -> Export the project
- C. Activate the project -> Build the HDB module
- D. Build the HDB module -> Build the project

ANSWER: A**QUESTION NO: 3**

What do you use in the definition of a dynamic SQL analytic privilege?

- A. An organization hierarchy that provides role-based access to data.
- B. A table function that returns a list of allowed values.
- C. A scalar function that returns a list of the allowed values for each attribute.
- D. A procedure that returns the data access condition as an SQL expression.

ANSWER: D**QUESTION NO: 4**

You implement a referential join between Table A and Table B, but when you query the calculation view, Table B is not pruned. What could be the problem?



Note: There are 2 correct answers to this question.

- A. Join cardinality is set :1.
- B. The Country column is requested.
- C. Integrity constraint is set to RIGHT.
- D. The Keep flag is activated for the Customer column.

ANSWER: C D

QUESTION NO: 5

Why do you create calculation views of data category DIMENSION with type TIME?

- A. To provide additional time-related navigation possibilities
- B. To add a temporal condition to a join to find matching records from two tables based on a date
- C. To store historical versions of attributes
- D. To provide the time intervals required by time-dependent parent-child hierarchies

ANSWER: A

QUESTION NO: 6

Why might you use the Keep Flag property in an aggregation node?

- A. To ensure that the aggregation behavior defined in the aggregation node for a measure CANNOT be overridden by a query
- B. To retain the correct aggregation behavior in stacked views
- C. To include columns that are NOT requested by a query but are essential for the correct result

D. To exclude columns that are NOT requested by a query to avoid incorrect results

ANSWER: C

QUESTION NO: 7

You import a project that includes an SAP HANA database (HDB) module to your workspace. You need to create a calculation view that uses data from a table located in an external schema within the same local database. Which of the following items do you need? Note: There are 2 correct answers to this question.

- A. Authorization
- B. Synonym
- C. SQL view
- D. Remote source

ANSWER: A B

QUESTION NO: 8

After importing a project in the workspace of the SAP Web IDE, you execute a build at the HDB module level. The build fails. What could be the reason? Note: There are 2 correct answers to this question.

- A. You have not defined the HDI build plug-in version.
- B. Your HDB module references a user-provided service that does not exist.
- C. You have not assigned the project to a space.
- D. You have not built the project yet.

ANSWER: B C

QUESTION NO: 9

In an XS Advanced project, what is the purpose of the .hdiconfig file?

- A. To specify an external schema in which calculation views will get their data
- B. To specify which HDI plug-ins are available
- C. To specify the namespace rules applicable to the name of database objects
- D. To specify in which space the container should be deployed

ANSWER: B

QUESTION NO: 10

Why would you develop an SQL procedure instead of a function?Note: There are 3 correct answers to this question.

- A. You want to create a dynamic analytic privilege.
- B. A temporary table must be created within the code.
- C. Optimal performance is a priority.
- D. The code should modify data in a table.
- E. You need to use conditional logic.

ANSWER: A B D