

DUMPS ARENA

MongoDB Certified DBA Associate Exam (Based on MongoDB 4.4)

MongoDB C100DBA

Version Demo

Total Demo Questions: 10

Total Premium Questions: 132

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

You have the following index on the toys collection:

```
{  
  "manufacturer" : 1,  
  "name" : 1,  
  "date" : -1  
}
```

Which of the following is able to use the index for the query? Check all that apply.

- A. `db.toys.find({ name : "Big Rig Truck", date : "2013-02-01", manufacturer : "Tanko" }`
- B. `db.toys.find({ manufacturer : "Matteo", name : "Barbara", date : "2014-07-02" })`
- C. `db.toys.find({ date : "2015-03-01", manufacturer : "Loggo", name : "Brick Set" })`

ANSWER: A B C**QUESTION NO: 2**

Which of the following aggregation commands in MongoDB does not support sharded collections?

- A. `mapReduce`
- B. `group`
- C. `aggregate`
- D. All of the above

ANSWER: B**QUESTION NO: 3**

Which of the following are common uses of the mongo shell? Check all that apply

- A. Perform queries against MongoDB collections

- B. Perform administrative tasks
- C. Use as a JavaScript framework for your production system

ANSWER: A B

QUESTION NO: 4

Which of the following is a valid insert statement in mongodb? Select all valid.

- A. `db.test.push({x:2,y:"apple"})`
- B. `db.test.insert«"x":2, "y":"apple"»`
- C. `db.test.insert({x:2,y:"apple"})`
- D. `db.test.insert({x:2},{y:"apple"})`

ANSWER: B C

QUESTION NO: 5

Which mongodb tools allow us to work with our data in a human readable format?

- A. mongoexport B. mongostat
- B. mongoimport
- C. mongodump

ANSWER: A B

QUESTION NO: 6

You have a replicated cluster with 1 primary, 3 secondary, 1 arbiter. One of the secondary is hidden. What is the replication factor of this replicated cluster?

- A. 7
- B. 03
- C. 04

D. 06

ANSWER: C**QUESTION NO: 7**

The following aggregation option is used to specify the specific fields that needs to be passed to the next stage of the aggregation pipeline:

- A. \$project
- B. \$aggregate
- C. \$match
- D. \$group

ANSWER: A**QUESTION NO: 8**

You perform the following query on the sayings collection, which has the index

```
{ quote : "text" }:
```

Assuming the documents below are in the collection, which ones will the following query return? Check all that apply.

```
db.sayings.find( { $text : { $search : "fact find" } } )
```

- A. { _id : 3, quote : "Nobody will ever catch me." }
- B. { _id : 1, quote : "That's a fact, Jack." }
- C. { _id : 2, quote : "Find out if that fact is correct." }

ANSWER: B C**QUESTION NO: 9**

Suposse tou have the following collection with only 2 documents:

```
> db.people.find()
{ "_id" : "apples", "traits" : [ "sweet" , "crispy" ] }
{ "_id" : "oranges", "traits" : [ "sweet" , "orange" , "juicy" ] }
```

If you run an aggregation query and use { \$unwind: "\$traits" } as the first stage, how many documents will be passed to the next stage of the aggregation pipeline?

- A. 3
- B. 5
- C. 4
- D. 2
- E. 1

ANSWER: B

QUESTION NO: 10

What does the following \$slice query return using the following command? db.posts.find({}, { comments: { \$slice: [-10, 5] } })

- A. Returns 5 comments, beginning with the last 10 items
- B. Returns 10 comments, beginning with the last
- C. Returns 10 comments, beginning with the first
- D. Returns 5 comments, beginning with the first 10 items

ANSWER: A