

DUMPS ARENA

Security Design. Specialist (JNCDS-SEC)

Juniper JN0-1332

Version Demo

Total Demo Questions: 10

Total Premium Questions: 65

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

You want to reduce the possibility of your data center's server becoming an unwilling participant in a DDoS attack. When configuring SRX Series devices, which two features should you use to satisfy this requirement? (Choose two.)

- A. dynamic IPsec tunnels
- B. Juniper ATP Cloud GeolP
- C. UTM Web filtering
- D. Juniper ATP Cloud CC feeds

ANSWER: A D**QUESTION NO: 2**

When designing the security for a service provider core router, you are asked to add a firewall filter on the to0 interface in this scenario, which two protocols would you want to allow through the filter? (Choose two.)

- A. LLDP
- B. SSH
- C. BGP
- D. STP

ANSWER: A C**QUESTION NO: 3**

As part of your design to secure a service provider WAN, you are asked to design a destination-based remote triggered black hole (RTBH) solution. What are two reasons for using this design? (Choose two.)

- A. The attack is focused on a single IP address
- B. You do not know the source address of DDoS packets
- C. The attack comes from a limited number of source IP addresses
- D. You want to ensure that the destination IP remains reachable

ANSWER: D

QUESTION NO: 4

You are designing Enterprise WAN attachments and want to follow Jumper recommended security practices in this scenario. Which two statements are correct? (Choose two.)

- A. Authentication authorization and accounting should be implemented on network resources
- B. The branch CPE should be configured to all outbound traffic
- C. Printer traffic should be segmented from data traffic.
- D. Network management traffic should be segmented from data traffic

ANSWER: A D

QUESTION NO: 5


You are asked to deploy multiple kiosk locations around the country. Their locations will change frequently and will need to access services in the corporate data center as well as other kiosk locations. You need a central key location. In this scenario, which solution would you deploy?

- A. Mesh VPN
- B. Group VPN
- C. Juniper Secure Connect
- D. Auto VPN

ANSWER: D

QUESTION NO: 6

Refer to the exhibit.



You are designing a security solution using an SRX Series chassis cluster in two separate buildings. In this scenario, what are three considerations? (Choose three.)

- A. The switches connecting to interface fab1 must support jumbo frames
- B. Latency on the fabric path must be under 1000 ms
- C. Latency on the control path must be under 100 ms
- D. The switches connecting to interface fxp0 must support jumbo frames
- E. Both HA links must be on physically different switches.

ANSWER: A C D

QUESTION NO: 7

Your company just purchased another company that uses the same IP address space as your company. You are asked to design a solution that allows both company's to use each other's IT resources. Which two actions would you use to accomplish this task? (Choose two.)

- A. Implement double NAT
- B. Implement two non-overlapping equal-size address blocks
- C. Implement three non-overlapping equal-size address blocks.
- D. Implement persisted nat

ANSWER: C

QUESTION NO: 8

You are asked to design security into the configuration of routing protocols on your Junos network to stop rogue neighbors from forming adjacencies for an enterprise WAN What win accomplish this task?

- A. PAP
- B. SAML
- C. MOS
- D. TTLS

ANSWER: D

QUESTION NO: 9

According to Juniper Networks, what are two focus points when designing a secure network? (Choose two.)

- A. performance
- B. automation
- C. distributed control
- D. classification

ANSWER: A D

QUESTION NO: 10

What are two considerations when performing a risk assessment for assets in a data center? (Choose two.)

- A. Insurance is a viable mitigation strategy when performing risk assessment calculations
- B. Exposure of assets could have larger economic impact man loss of assets
- C. Migration of a data center to a cloud prouder increases economic impact of asset loss D. Migration of a data center to a cloud provider reduces the economic impact of asset exposure

ANSWER: C