

DUMPS ARENA

VMware SD-WAN Design and Deploy Skills

VMware 5V0-42.21

Version Demo

Total Demo Questions: 9

Total Premium Questions: 52

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

A customer is using hypervisor to install VMware Partner Gateways.

Which two hypervisors may be used? (Choose two.)

- A. Hyper-V
- B. Kubernetes
- C. XenServer
- D. KVM
- E. ESXi

ANSWER: A D**QUESTION NO: 2**

What are three key benefits of VMware SD-WAN? (Choose three)

- A. Provision Edges in minutes
- B. Automated configuration of cloud resources
- C. Remove requirement of Edge devices
- D. Gain visibility across any link
- E. Layer 2 VPNs between sites
- F. Reduce the burden on MPLS

ANSWER: B C F**QUESTION NO: 3**

Which VMware SR-WAN component runs the Deep Application Recognition Engine?

- A. VMware SD WAN Orchestrator
- B. VMware SD-WAN Controller
- C. VMware SD-WAN Gateway
- D. VMware SD-WAN Edge

ANSWER: B

QUESTION NO: 4

A service provider assigns two Partner Gateways to a VMware SD-WAN Edge.

Which description is correct about default route.

- A. A default route 0.0.0.0/0 can be configured as a static route and set to NAT only on the Gateway
- B. It default route 0 0 0.0.0.10 has been configured for both Gateways, internet traffic originated from the Edge can failover to the other Gateway in case of a Gateway failure.
- C. When handoff is turned off on a Partner Gateway, the Gateway does not advertise a default route 0.0 0.0/0 to the Edge.
- D. The service provider administrator decides whether the Partner Gateway advertises a default route 0.0.0.0/0 or not, although it is advertised by default.

ANSWER: A

QUESTION NO: 5

Employees with an Apple iOS device have been causing congestion on the company's internet

What should an administrator configure to target these devices when creating a Business policy for this issue?

- A. Action Priority
- B. Action Network Service
- C. Match Source
- D. Match Destination

ANSWER: A

QUESTION NO: 6

A service provider needs to ensure that the NOC is notified proactively in the event that an Edge interface loses connectivity to its WAN provider.

Which three methods are available for generating these alerts? (Choose three.)

- A. Slack notification
- B. Text/SMS
- C. Push notification via the VMware SD WAN mobile app
- D. SNMP Trap

- E. Webhook
- F. Dying Gasp

ANSWER: B C F

QUESTION NO: 7

What is considered a typical VMware SD-WAN use case?

- A. Provide a distributed (per device) commands line interface (CLI) based configurations to implement complex network design integration options.
- B. Provide high speed layer 2 data center interconnects.
- C. Provide cloud delivered central management Orchestrator to implement complex design network integration options.
- D. Provide management, control plane, and data forwarding from a single system to reduce complexity for the network administrator.

ANSWER: D

QUESTION NO: 8

A network architect is designing a VMware SD-WAN architect for customer using VMware hosted VCO and VCGs, while VCEs will be deployed at the customer's branches and data centers. The network architect would like to achieve control plane redundancy.

Which action, if any, should be taken to meet this goal?

- A. Multiple VCGs are automatically assigned to every VCE and control plane on VCU is always enabled, so control plane redundancy has been taken care of already
- B. Multiple VCFs at data centers can be configured to function as route reflectors to achieve control plane redundancy.
- C. VCGs automatically assigned to a VCF. do not participate in control plane At least two dedicated Controllers should be manually assigned for each VCGs to achieve control plane redundancy.
- D. VCGs automatically assigned to a VCE do not participate in control plane At least two dedicated Controllers should be manually assigned for the customer to achieve control plane redundancy

ANSWER: B

QUESTION NO: 9

Which three authentication mode options are valid for use on the VMware SD-WAN Edge? (Choose three.)

- A. Certificate Enabled

- B.** Certificate ate Optional
- C.** Certificate Disabled
- D.** Certificate Activated
- E.** Certificate Accepted
- F.** Certificate Requited

ANSWER: A C E