

DUMPS ARENA

Vlocity Platform Developer Exam (v5.0)

Vlocity Vlocity-Platform-Developer

Version Demo

Total Demo Questions: 10

Total Premium Questions: 60

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

You are troubleshooting an Integration Procedure with two elements: a Remote Action named FetchCart and a Response Action named ResponseCart. In PREVIEW, what JSON node shows the data sent to the Remote Action?

- A. ResponseCartDebug
- B. ResponseCart
- C. FetchCartDebug
- D. FetchCart

ANSWER: C**QUESTION NO: 2**

Which of these checkboxes helps prevent a DataRaptor Load from creating duplicate records?

- A. Upsert Key
- B. s Disabled
- C. Is Lookup
- D. Is Required For Upsert

ANSWER: A**QUESTION NO: 3**

You want to send all data from a FlexCard's data source to a Datatable in a child FlexCard.

What is the variable you put in the Data Node field in the parent FlexCard that gets all the records?

- A. {recordid}
- B. {records [0]}
- C. {Parent.id}

D. {records}

ANSWER: D

QUESTION NO: 4

You configured a FlexCard with a DataRaptor data source which uses the params.id as an input. When you click View Data on the FlexCard, valid data displays. However, when you preview the layout, the FlexCard does not display. What could cause this error?

Choose 2 answers

- A. The Data Node field for the FlexCard is empty.
- B. The Attributes haven't been configured to pass the data to the fields.
- C. The Recordid in the Test Data Source Settings is for the wrong record type.
- D. There is no Salesforce record for the FlexCard based on the Recordid in the layout's Test Data Source Settings.

ANSWER: C D

QUESTION NO: 5

Which two of these options can retrieve data from a Salesforce object? Choose 2 answers

- A. A DataRaptor Transform Action
- B. A DataRaptor Load Action
- C. A DataRaptor Post Action
- D. A Lookup Action
- E. An HTTP Action
- F. A DataRaptor Extract Action

ANSWER: A D

QUESTION NO: 6

Which three are true about Calculation Matrix inputs?

Choose 3 answers

- A. They can be a combination of values.
- B. They must contain numerical data.
- C. They can represent ranges.
- D. They must be unique.

ANSWER: A C D

QUESTION NO: 7

Which two of the items below must be defined before you can create a new OmniScript?

Choose 2 answers

- A. SubType
- B. Type
- C. Template
- D. Description

ANSWER: A B

QUESTION NO: 8

In an Integration Procedure, you need to perform a multi-step calculation on every element of an array. Based on best practices, what two methods are recommended?

Choose 2 answers

- A. Use a Calculation Action to call a Calculation Procedure.
- B. Use a Set Values Element inside a Loop Block.
- C. Use a List Action to merge the array elements together.
- D. Use a Matrix Action to call a Calculation Matrix

ANSWER: A D

QUESTION NO: 9

You have a FlexCard with five FlexCard states. Four of the states have a condition. Two of the states have true conditions. Which state will

be displayed?

- A. The state that has the higher priority
- B. The state that is closer to the top in the FlexCard canvas
- C. The state that has no condition
- D. The state that is closer to the bottom in the FlexCard canvas

ANSWER: B

QUESTION NO: 10

Which property enables custom Lightning web components to override an individual OmniScript element's component?

- A. LWC Component Override
- B. HTML Template ID
- C. Element Type to LWC Component Mapping
- D. Enable LWC

ANSWER: C