

DUMPS ARENA

InfoSphere DataStage v11.3

IBM C2090-424

Version Demo

Total Demo Questions: 10

Total Premium Questions: 64

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Which Slowly Changing Dimension (SCD) stage statement is TRUE?

- A. Surrogate keys are used to join a dimension table to a fact table in a normalized schema database
- B. Each SCD stage processes multiple dimensions and performs lookups by using an equality matching
- C. Purpose codes are part of the table metadata that the SCD stage propagates to the dimension insert link.
- D. Actual dimensions changes are applied to the lookup table in memory and are mirrored to the dimension update link

ANSWER: B**Explanation:**

Reference: https://www-01.ibm.com/support/knowledgecenter/SSZJPZ_11.3.0/

[com.ibm.swg.im.iis.ds.parjob.dev.doc/topics/c_parjdev_Slowly_Changing_Dimension_Stage.html](https://www-01.ibm.com/support/knowledgecenter/SSZJPZ_11.3.0/com.ibm.swg.im.iis.ds.parjob.dev.doc/topics/c_parjdev_Slowly_Changing_Dimension_Stage.html)

QUESTION NO: 2

Your job aggregates data before writing the results out to a DB2 table. You have since learned that this job will be required to aggregate very large amounts of data. To ensure high performance you create a new, non-default configuration file for the job that defines a node pool named “highperfnodes” that includes only nodes with very high processing power.

What additional design changes do you need to make to the job to ensure that it aggregates the data using the “highperfnodes” pool? (Choose two.)

- A. Select the “highperfnodes” pool in the Execution tab of the Job Properties window
- B. Add the \$APT_CONFIG_FILE environment variable as an additional job parameter
- C. Add a Sort stage before the Aggregator stage to sort the data before the data is aggregated
- D. Change properties in the Aggregator stage to force it to use the nodes in the appropriate pool
- E. Change properties in the Aggregator stage to force it to use the new non-default configuration file

ANSWER: A D**QUESTION NO: 3**

Record Count property is set to zero in Connector stage. How many rows are written out?

- A. All Rows

- B. One Row
- C. Zero Rows
- D. 2000 Rows

ANSWER: A

Explanation:

Reference: http://www-01.ibm.com/support/knowledgecenter/SSZJPZ_8.7.0/com.ibm.swg.im.iis.conn.db2db.help.doc/topics/props_input_db2.html?lang=en

QUESTION NO: 4

You are experiencing performance issues for a given job. You are assigned the task of understanding what is happening at run time for that job.

What steps should you take to understand the job performance issues? (Choose two.)

- A. Use the resource estimation tool
- B. Use the performance analysis tool
- C. Replace Join stages by Lookup stages
- D. Run the job with \$APT_TRACE_RUN set to true
- E. Run the job with \$APT_DUMP_SCORE set to true

ANSWER: B E

QUESTION NO: 5

The encrypt.sh or the encrypt.bat script can be used to do which of the following?

- A. Secure sensitive personal data
- B. To set up credentials files used by the dsjob command
- C. Assisting in decoding encrypted rows of input during debugging
- D. Assisting in preparing encrypted rows of output during job execution

ANSWER: D

Explanation:

Reference: https://www-01.ibm.com/support/knowledgecenter/SSZJPZ_11.3.0/com.ibm.swg.im.iis.conn.filecon.usage.doc/topics/filecon_t_enable_ssl_connect.html

QUESTION NO: 6

Which stages will require a schema file when runtime column propagation (RCP) is enabled?

(Choose two.)

- A. Data Set
- B. Column Import
- C. Internal Source
- D. External Target
- E. Make Subrecord

ANSWER: B D

Explanation:

Reference: https://www-01.ibm.com/support/knowledgecenter/SSZJPZ_11.3.0/com.ibm.swg.im.iis.ds.parjob.dev.doc/topics/c_deeref_using_rcp_with_sequential_stages.html

QUESTION NO: 7

Which of the following locations will allow you to obtain a job's runtime logs? (Choose two.)

- A. Designer
- B. ISManager
- C. Workload Manager
- D. Operations Console
- E. Performance Monitor

ANSWER: C E**QUESTION NO: 8**

Which statement about the ISD input stage is NOT TRUE?

- A. A job must have zero or one ISD input stages

- B. A job with an ISD input stage must have an ISD output stage
- C. Buffer size and timeout values can be supplied as job parameters
- D. Text over JMS binding is only available if you are using Network Deployment

ANSWER: D

Explanation:

Reference: https://www-01.ibm.com/support/knowledgecenter/SSZJPZ_11.3.0/com.ibm.svg.im.iis.infoservdir.user.doc/topics/t_isd_user_configuring_wisd_input_stage.html

QUESTION NO: 9

The Lookup stage is one of three stages that join records based on the values of key columns.

What are the other stages? (Choose two.)

- A. Join
- B. Merge
- C. Modify
- D. Funnel
- E. Difference

ANSWER: A B

Explanation:

Reference: https://www-01.ibm.com/support/knowledgecenter/SSZJPZ_11.3.0/com.ibm.svg.im.iis.ds.parjob.dev.doc/topics/c_deeref_Lookup_Stage.html

QUESTION NO: 10

A Parameter Set is a named object that can contain which of the following?

- A. Multiple parameters and only one value file
- B. Only one parameter and only one value file
- C. Multiple parameters and multiple value files
- D. Only one parameter and multiple value files

ANSWER: D