

# DUMPS ARENA

**IBM DB2 11.1 DBA for LUW**

**IBM C2090-600**

**Version Demo**

**Total Demo Questions: 10**

**Total Premium Questions: 60**

**Buy Premium PDF**

**<https://dumpsarena.co>**

**[sales@dumpsarena.co](mailto:sales@dumpsarena.co)**

**sales@dumpsarena.co**  
**dumpsarena.co**

**QUESTION NO: 1**

Which statement about the DB2\_BCKP\_COMPRESSION registry variable is TRUE?

- A. It does not apply to table space backups.
- B. It specifies the compression mode to use for DB2 backups.
- C. It only has effect when applied to a database in which all tables have been compressed.
- D. If set, backup images created with the BACKUP command are automatically compressed.

**ANSWER: D**

**QUESTION NO: 2**

Which two of the following functions of DB2 Workload Manager are restricted by license? (Choose two.)

- A. Creating, using, or altering thresholds
- B. Granting, altering, or revoking workload privileges
- C. Using or altering the default service classes and workloads
- D. Creating service classes, service subclasses, and workloads
- E. Creating, activating, stopping or dropping workload management event monitors

**ANSWER: B D**

**QUESTION NO: 3**

Which two tasks must be done to read data directly from IBM Softlayer Object Storage and insert it into a DB2 database? (Choose two.)

- A. Catalog a storage access alias in the DB2 database
- B. Create an FTP account on IBM Softlayer Object Storage
- C. Use the DB2REMOTE parameter of the LOAD command
- D. Establish a remote connection to IBM Softlayer Object Storage using DB2 Connect
- E. Create a local disk alias at the database server operating system level that points to IBM Softlayer Object Storage

**ANSWER: A C**

**QUESTION NO: 4**

For any given column-organized user table, the associated synopsis table may contain information for which of the following data types? (Choose two.)

- A. XML
- B. BLOB
- C. CLOB
- D. VARCHAR
- E. DATETIME

**ANSWER: D E****QUESTION NO: 5**

Which tool can be used to get database design recommendations based on SQL statements stored in the database package cache?

- A. db2pd
- B. db2dart
- C. db2expln
- D. db2advis

**ANSWER: C****QUESTION NO: 6**

What does dsmtop use to gather metrics?

- A. db2pd
- B. db2dart
- C. the system catalog
- D. monitoring tablefunctions

**ANSWER: D****QUESTION NO: 7**

A DBA has observed that queries executed against SALES table have poor performance. DB2 tools have indicated that the level of data fragmentation in the SALES table is very high. Similar results were detected for indexes defined on the SALES table.

Which of the following commands should be used by the DBA to improve the performance of the queries run against the SALES table?

- A. REORG TABLE sales AND INDEXES ALL;RUNSTATS ON TABLE sales AND INDEXES ALL;
- B. REORG TABLE sales INPLACE;REORG INDEXES ALL FOR TABLE sales;RUNSTATS ON TABLE salesAND INDEXES ALL;
- C. RUNSTATS ON TABLE sales AND INDEXES ALL;REORGCHK ON TABLE sales;
- D. RUNSTATS ON TABLE sales INPLACE AND INDEXES ALL;

**ANSWER: A**

#### QUESTION NO: 8

Which of the following are valid Explain operators? (Choose two.)

- A. CTQ
- B. XSCAN
- C. IXSCAN
- D. SELECT
- E. COLSCAN

**ANSWER: B C**

#### QUESTION NO: 9

When the DB2\_WORKLOAD registry variable is assigned the value ANALYTICS and then a new database is created, what happens? (Choose two.)

- A. The PAGESIZE database configuration parameter is set to 32K.
- B. The AUTO\_REORG database configurationparameter is set to NO.
- C. The DFT\_EXTENT\_SZ database configuration parameter is set to 8.
- D. The DFT\_TABLE\_ORG database configuration parameter is set to COLUMN.
- E. The INTRA\_PARALLEL database manager configuration parameter is set to NO.

**ANSWER: D E**

**QUESTION NO: 10**

Which statement regarding setting up a local keystore for DB2 native encryption is TRUE?

- A.** A local keystore is not needed if a Hardware Security Module (HSM) is used to managemaster keys.
- B.** If a local keystore is used to store data encryption keys, a stash file must be used to store master keys temporarily.
- C.** A master key must be generated and placed in an existing local keystore before a new encrypted database will be created.
- D.** After a local keystore is created, you will be prompted for a password whenever the database manager accesses the keystore.

**ANSWER: C**