

DUMPS ARENA

IBM Cognos Analytics Administrator V1

IBM C2090-623

Version Demo

Total Demo Questions: 6

Total Premium Questions: 60

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

A CQM report successfully runs in another environment but fails in IBM Cognos Analytics. Environments are identical except for the versions.

How could the issue be identified?

- A. Perform a UDA trace.
- B. Modify the ipfserverconfig.xml.
- C. Increase the logging level of the Query service.
- D. Restart the IBM Cognos Analytics service to eliminate all remaining BIBus processes.

ANSWER: B**Explanation:**

The method for performing a UDA trace is different in Cognos 10 to previous versions due to the removal of the Cognos Logging Console Program. This is specific to CQM datasources.

Please follow these steps:

This trace records all database activity so should be turned off as soon as the possible.

References: <http://www-01.ibm.com/support/docview.wss?uid=swg21620597>

QUESTION NO: 2

A user has been given administration capabilities to manage tasks without going into the IBM Administration console.

Which of the following options can be performed? (Choose two.)

- A. Importing and exporting specific folder content.
- B. Creating or modifying a Datasource Connection.
- C. Adding new groups and folder to the Cognos namespace.
- D. Adding a new contact and distribution list to the Cognos namespace.
- E. Viewing past and upcoming scheduled jobs and reports and what is currently running.

ANSWER: A E**QUESTION NO: 3**

An environment has twenty dispatchers. The administrator wants to change one property to the same value for all dispatchers.

How can that be accomplished?

- A. This can be accomplished if all dispatchers are put inside a folder.
- B. This can be accomplished by changing the desired property for the configuration.
- C. This cannot be accomplished unless the property value is changed for each dispatcher.
- D. This can be accomplished by selecting all dispatchers at once and changing the desired property.

ANSWER: A

Explanation:

Grouping dispatchers in configuration folders.

Configuration folders are useful to organize dispatchers if your installation includes many dispatchers. You can group dispatchers so that you can apply the same configuration settings once to all the dispatchers and services in the folder.

Note: You can have more than one dispatcher in your IBM Cognos environment. In such distributed installations one dispatcher is configured for every instance of the Content Manager or Application Tier Components that are installed and configured in your environment.

References:

https://www.ibm.com/support/knowledgecenter/en/SSEP7J_11.0.0/com.ibm.swg.ba.cognos.ug_cra.doc/c_reportnet_components.html

QUESTION NO: 4

An administrator would like to log the activity for a single user.

Which action is required?

- A. Set the Report service logging to Trace.
- B. Modify the ipfcogconfig.xml file in the bin64 directory.
- C. Use the Remote Process service for Java Management Extensions (JMX).
- D. Set the advanced parameter RSVP.REPORTUSER.LOG for the Report service.

ANSWER: C

Explanation:

You can use logs to diagnose a problem that is occurring for one or more specific users.

You enable and disable logging for specific users by using the Remote Process service for Java Management Extensions (JMX), a technology that supplies tools to manage and monitor applications and service-oriented networks. You connect to the JMX Remote Process service using the jconsole executable that is provided with the Java JDK.

References:

https://www.ibm.com/support/knowledgecenter/en/SSEP7J_11.0.0/com.ibm.swg.ba.cognos.ug_cra.doc/t_disableipfuser.html

QUESTION NO: 5

An administrator has configured authentication.

Which statement is true for users logging on to the application?

- A. When anonymous access is enabled users cannot log on to a 3rd party authentication provider namespace.
- B. Users will be automatically logged off after a defined inactivity timeout period that is set in IBM Cognos Configuration.
- C. Although multiple 3rd party authentication provider namespaces are configured, a user can only be logged on to one namespace at a time.
- D. After a defined number of failed log on attempts a user will be locked out of their account, which will require intervention through the IBM Administration console.

ANSWER: B**Explanation:**

How to adjust the session timeout in Cognos Analytics

References: <http://www-01.ibm.com/support/docview.wss?uid=swg21998445>

QUESTION NO: 6

An administrator sees that an environment has a long startup time and wants to remedy the issue.

Which solution should be used?

- A. Set load balancing to cluster compatible.
- B. Check the Fast Startup option under IBM Cognos Configuration.
- C. Increase the size of the JVM heap by selecting Large configuration.
- D. Reduce the size of the Content Store through archiving and removal.

ANSWER: A**Explanation:**

If your IBM Cognos servers operate within a load balancing infrastructure, you can turn off the weighted round robin format of load balancing for the dispatcher. Otherwise, load balancing may be duplicated by the cluster and by IBM Cognos software, which can degrade performance.

You can set the dispatcher property named `loadBalancingMode` either to `weightedRoundRobin` or `clusterCompatible`.

References: IBM Cognos Administration Version 10.1.0, Administration and Security Guide, page 163