

DUMPS ARENA

Using HPE OneView

HP HPE2-T37

Version Demo

Total Demo Questions: 5

Total Premium Questions: 40

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1 - (HOTSPOT)

As a part of troubleshooting, you have to reinstall the same version of the firmware on an HPE Synergy Compute Module. Click the area within the Firmware section of the server profile that will allow you to install the same firmware version.

Firmware

Firmware baseline

Service Pack for Synergy version SY-2021.02.01 ▾

 Force installation

Installation Method

 Firmware and OS Drivers using Smart Update Tools Firmware only using Smart Update Tools Firmware only

For the least disruptive option, select a Smart Update option. Without Smart Update, the

ANSWER:**Firmware**

Firmware baseline

Service Pack for Synergy version SY-2021.02.01 ▾

 Force installation

Installation Method

 Firmware and OS Drivers using Smart Update Tools Firmware only using Smart Update Tools Firmware only

For the least disruptive option, select a Smart Update option. Without Smart Update, the

QUESTION NO: 2

What is the best practice when deploying an HPE OneView appliance?

- A. Enable VMware Fault Tolerance if the appliance is deployed to a VMware hypervisor.
- B. deploy the appliance in a hypervisor cluster that is not managed by OneView.
- C. Use thin-provisioning for the HPE OneView appliance to save storage capacity.
- D. Deploy two HPE OneView appliances and configure them in HA mode.

ANSWER: B

QUESTION NO: 3

You want to add the latest iLO firmware to an HPE OneView firmware repository. How can you complete this task?

- A. A PowerShell script must be used to upload iLO firmware to the internal or external firmware repository.
- B. A custom SPP ISO image must be created with the new iLO firmware version and uploaded to the repository.
- C. An external repository must be created, because standalone components are supported only in an external repository.
- D. iLO firmware can be marked as a hotfix and uploaded directly to the internal or external firmware repository.

ANSWER: C

QUESTION NO: 4

Which HPE components can be managed using HPE Composer? (select two.)

- A. HPE Superdome Flex 280
- B. HPE Synergy Virtual Connect SE 32Gb FC Module
- C. HPE Synergy 480 Compute Modules
- D. HPE B-series SN6600B Fibre Channel Switch
- E. HPE MSA 2062 Storage Array

ANSWER: B D

QUESTION NO: 5

Which types of support dump can be created using HPE OneView? (Select two.)

- A. Enclosure group support dump
- B. Appliance support dump
- C. Firmware deployment support dump
- D. Logical enclosure support dump
- E. Maintenance console support dump

ANSWER: D E