

DUMPS ARENA

Delta - HPE Compute Solutions

HP HPE0-S60

Version Demo

Total Demo Questions: 10

Total Premium Questions: 79

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Your customer plans to manage HPE Primera using HPE Oneview

Which storage management tasks can be completed using HPE OneView for this environment?

- A. CPG management
- B. Volume provisioning
- C. Cache management
- D. Replication setup

ANSWER: B**QUESTION NO: 2 - (HOTSPOT)**

Click the area within the iLO management interface that will allow you to access workload Advisor.

iLO 5
2:44 Apr 30 2021

Information - iLO Overview

Overview | Security Dashboard | Session List | iLO Event Log | Integrated Management Log

Security Log | Active Health System Log | Diagnostics

Server

Product Name	Synergy 480 Gen10
Server Name	h7198.wsw.edunet.hpe.com
Operating System	VMware ESXi 7.0.1 Build-17325551 Update 1 Patch 25
System ROM	I42 v2.42 (01/23/2021)
System ROM Date	01/23/2021
Redundant System ROM	I42 v2.42 (01/23/2021)
Server Serial Number	CZ204400X0
Serial Number (Logical)	VCGQH1801V
Product ID	871940-B21
UUID	39313738-3034-5A43-3230-343430305830

iLO

IP Address	15.194.45.41
Link-Local IPv6 Address	FE80:B67A:F1FF:FE44:377A
iLO Hostname	ILOCZ204400X0.wsw.edunet.hpe.com
iLO Dedicated Network Port	Enabled

ANSWER:



Information - iLO Overview

Overview Security Dashboard Session List iLO Event Log Integrated Management Log
Security Log Active Health System Log Diagnostics

Server

Product Name	Synergy 480 Gen10
Server Name	h7198jswedunet.hpe.com
Operating System	VMware ESXi 7.0.1 Build-17325551 Update 1 Patch 25
System ROM	I42 v2.42 (01/23/2021)
System ROM Date	01/23/2021
Redundant System ROM	I42 v2.42 (01/23/2021)
Server Serial Number	CZ204400X0
Serial Number (Logical)	VCGQH1801V
Product ID	871940-B21
UUID	39313738-3034-5A43-3230-343430305830

iLO

IP Address	15.194.45.41
Link-Local IPv6 Address	FE80:B67A:F1FF:FE44:377A
iLO Hostname	ILOCZ204400X0.swedunet.hpe.com
iLO Dedicated Network Port	Enabled

QUESTION NO: 3

Your customer plans to add four HPE Synergy frames to an existing management ring. All installed frames are equipped with two 2-port FLM modules, while new frames will be equipped with 4-port FLM modules.


Which statement about mixing different FLM modules is true?

- A. Existing 2-port FLM modules must be replaced with 4-port FLM modules
- B. A management ring can contain mixed frame link module configurations
- C. A management ring with mixed FLM modules cannot have more than 12 frames
- D. Mixing different FLM modules is allowed if all of them have the same firmware version


ANSWER: C

QUESTION NO: 4 - (DRAG DROP)

Put the steps of the HPE insight flow in the correct order.



ANSWER:



QUESTION NO: 5

The proposal consists of.

- 3 HPE Synergy 12000 frames
- 6 HPE Composer 2 modules
- 2 HPE Virtual Connect SE 100 GO F32 Module
- 4 HPE Synergy 50 GO interconnect Link Module

Which statements about this proposed design are true? (Select two.)

- A.** The selected interconnect modules do not provide the requested WWN virtualization
- B.** HPE Synergy 50Gb ILMs must be replaced with HPE Virtual Connect SE 100 GO F32 modules
- C.** The current setup can support up to 18 HPE Synergy 480 Gen10 Plus compute modules
- D.** FC upgrade licenses for HPE Virtual Connect SE 100 GbF32 Module must be added
- E.** Remove 4 HPE Composer 2 modules from the design, as they are not required

ANSWER: B D

QUESTION NO: 6

Your customer wants to add a second HPE Synergy frame to an existing logical enclosure Based on a single HPE Synergy frame. The customer wants to use a highly available master setup.

Which procedures should be performed during the expansion process? (Select two.)

- A. Create a new logical interconnect group and enclosure group for two frames setup
- B. Create a new logical enclosure based on both HPE Synergy frames.
- C. Re-parent an existing enclosure group to the new logical interconnect group.
- D. Modify an existing logical interconnect to include second HPE Synergy frame.
- E. Move one of the master modules to the appropriate interconnect bay in the second frame.

ANSWER: B D

QUESTION NO: 7

Which HPE Virtual Connect feature allows an administrator to suppress excessive inbound multicast broadcast and destination lookup failure (OLF) packets?

- A. Pause flood protection
- B. Loop protection
- C. LLDP tagging
- D. Storm control

ANSWER: D

QUESTION NO: 8

What is a limitation when creating a server profile?

- A. BIOS settings can be changed only when UEFI optimized is selected as boot mode
- B. ILO management is limited to the integration with Active Directory or LDAP
- C. Administrator cannot define more than 8 connections within a server profile
- D. It is not possible to create shared volumes on demand through a server profile

ANSWER: B

QUESTION NO: 9

Your customer uses HPE OneView to manage their HPE Synergy environment. They plan to use it to manage a new set of equipment that includes.

- 20 HPE ProLiant DL365 Gen10 Plus servers
- 20 HPE ProLiant DL380 Gen10 Plus servers
- 5 HPE Primera 650
- 5 HPE MSA 2062 Storage Array

Which statements about how OneView will work with this new equipment are true? (Select two)

- A.** HPE ProLiant DL365 Gen10 Plus servers are not supported in HPE OneView
- B.** HPE MSA 2062 Storage Array is not supported in HPE OneView
- C.** HPE OneView replaces array management tools for both types of array
- D.** HPE ProLiant DL380 Gen10 Plus servers have an HPE OneView license included
- E.** HPE Primera 650 can be managed using HPE OneView.

ANSWER: A D**QUESTION NO: 10**

You need to configure a RoCE network to enable lossless networking for HPE J2000 Flash Enclosure support. Which interconnects are required to support this connection? (Select two.)

- A.** HPE Virtual Connect SE 40Gb F8 Module for HPE Synergy
- B.** HPE Virtual Connect SE 16Gb FC Module for HPE Synergy
- C.** HPE Virtual Connect SE 100Gb F32 Module for HPE Synergy
- D.** HPE Virtual Connect SE 32Gb FC Module for HPE Synergy
- E.** Brocade 16Gb Fibre Channel SAN Switch Module for HPE Synergy
- F.** Brocade 32Gb Fibre Channel SAN Switch Module for HPE Synergy

ANSWER: B D