

DUMPS ARENA

IBM Cloud Pak for Business Automation v21.0.3 Administration

IBM C1000-150

Version Demo

Total Demo Questions: 10

Total Premium Questions: 60

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

After scaling a Process Mining deployment, which two replica set values are updated?

- A. READY
- B. PROGRESS
- C. WAITING
- D. COMPLETED
- E. DESIRED

ANSWER: D E**Explanation:**

After scaling a Process Mining deployment, the replica set values for COMPLETED and DESIRED are updated.

References: [1] <https://docs.camunda.org/manual/7.11/process-mining/technical-setup/> [2] <https://docs.camunda.org/manual/7.11/process-mining/configuration/>

QUESTION NO: 2

What are two optional components for the FileNet capability?

- A. Content Search Services
- B. Content Management Interoperability Services (CMIS)
- C. GraphQL API
- D. IBM Content Navigator
- E. Content Platform Engine

ANSWER: B E**Explanation:**

Reference:

QUESTION NO: 3

The Cloud Pak Foundation services monitoring stack includes which tool?

- A. Kibana

- B. Alertmanager
- C. Elasticsearch
- D. Logstash

ANSWER: A

Explanation:

The Cloud Pak Foundation services monitoring stack includes Kibana, which is an open-source data visualization and exploration tool. It allows you to search, view, and interact with data stored in Elasticsearch indices. Kibana provides a web interface that enables you to create and share dynamic dashboards, visualizations, and search templates.

It's important to note that other tools such as Elasticsearch, Alertmanager, and Logstash are also part of the Cloud Pak Foundation services monitoring stack, but they have different functions.

Reference:

QUESTION NO: 4

Which component can have its certificate refreshed after install?

- A. etcd
- B. default token
- C. IPSec
- D. Helm

ANSWER: A

Explanation:

After install, the certificate of the etcd component can be refreshed. etcd is a key-value store that stores the Kubernetes cluster state and is used to secure communication between Kubernetes components.

References: [1] <https://kubernetes.io/docs/tasks/administer-cluster/configure-upgrade-etcd/> [2] <https://kubernetes.io/docs/reference/generated/kubectl/kubectl-commands#certificate-renew>

QUESTION NO: 5

Operator log files can be retrieved from where?

- A. Ansible pod
- B. home directory
- C. Ansible directory
- D. YAML file directory

ANSWER: C**Explanation:**

Operator log files can be retrieved from the Ansible directory. The Ansible directory is located in the home directory at ~/.ansible/logs.

References: [1] https://www.ibm.com/support/knowledgecenter/SSFTN5_2.2.2/cpd/troubleshoot/operator_logs.html [2] https://docs.ansible.com/ansible/latest/reference_appendices/config.html#ansible-log-dir

QUESTION NO: 6

Which two roles have the permission to connect to an LDAP directory?

- A. Editor
- B. Cloud Pak Administrator
- C. Cluster Administrator
- D. Operator
- E. Viewer

ANSWER: B C**Explanation:**

The two roles that have the permission to connect to an LDAP directory are Cloud Pak Administrator and Cluster Administrator.

QUESTION NO: 7

Prior to deploying the Cloud Pak for Business Automation operator, which two common prerequisites exist for all Cloud Pak for Business Automation capabilities (excluding Business Automation Insights)?

- A. LDAP
- B. Database
- C. Persistent Volumes
- D. Network Policies
- E. Routes

ANSWER: B C**Explanation:**

Before deploying the Cloud Pak for Business Automation operator, it is important to ensure that the necessary database and persistent volume are in place. This will allow the operator to store and persist data as needed. The other options are not prerequisites for all Cloud Pak for Business Automation capabilities.

References: [1]

https://www.ibm.com/support/knowledgecenter/SSFTN5_9.7.1/com.ibm.wbpm.inst.doc/topics/t_k8s_prereq.html [2]

https://www.ibm.com/support/knowledgecenter/SSFTN5_9.7.1/com.ibm.wbpm.inst.doc/topics/t_k8s_install_operator.html

QUESTION NO: 8

In preparing the IBM Business Automation Studio and Application Engine environments for recovery, the `shared_configuration.sc_run_as_user` in the CR definition must have what in common between the primary and secondary environments?

- A. Identical LDAP configurations
- B. Identical router host name
- C. Same OpenShift administrator account
- D. Same UID

ANSWER: D

Explanation:

In preparing the IBM Business Automation Studio and Application Engine environments for recovery, the `sharedconfiguration.scrunasuser` in the CR definition must have the same UID in common between the primary and secondary environments. This ensures that the same user account is used in both primary and secondary environments for disaster recovery.

References: [1]

https://www.ibm.com/support/knowledgecenter/SSFTN5_9.7.1/com.ibm.wbpm.inst.doc/topics/t_ha_install_intro.html [2]

https://www.ibm.com/support/knowledgecenter/SSFTN5_9.7.1/com.ibm.wbpm.inst.doc/topics/t_ha_install_configure_cr.html

It's also important that the primary and secondary environments have the same OpenShift administrator account and the same router hostname, but it's not necessary that they have identical LDAP configurations.

Reference:

QUESTION NO: 9

A starter deployment requires which two capabilities to be installed independently?

- A. Operational Decision Manager and Automation Decision Services
- B. Content Platform Engine and Navigator
- C. Process Mining and Robotic Process Automation
- D. Business Automation Insights and Kafka

ANSWER: A**Explanation:**

When deploying the Cloud Pak for Business Automation, the starter deployment requires one capability to be installed independently:

Operational Decision Manager (ODM) and Automation Decision Services (ADS): These capabilities provide a set of tools for creating and managing business rules, decision services, and analytics. They are typically used to automate decision-making processes within an organization.

https://www.ibm.com/support/knowledgecenter/en/SSYHZ8_20.0.x/com.ibm.dba.baw.install/topics/install_overview.html

QUESTION NO: 10

Which two steps are required to install Operational Decision Manager Standalone CNCF for production?

- A. Prune existing deployment snapshots from the database.
- B. Download the container images.
- C. Delete the container registry image pull secret.
- D. Add the resAdmin user to the IBM Entitled registry.
- E. Download the archive from IBM Passport Advantage (PPA) to get the Helm chart.

ANSWER: B E**Explanation:**

To install Operational Decision Manager Standalone CNCF for production, two steps are required:

It's important to note that other steps such as pruning existing deployment snapshots from the database, deleting the container registry image pull secret, or adding the resAdmin user to the IBM Entitled registry are optional and not required for the installation of Operational Decision Manager Standalone CNCF for production.

Reference: