

DUMPS ARENA

SAP Certified Application Associate - SAP HANA Cloud Modeling

SAP C HCMOD 03

Version Demo

Total Demo Questions: 10

Total Premium Questions: 80

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

You created a table and inserted data in it using SQL statements inside the SAP HANA Deployment Infrastructure (HDI) container of your project. You add this table as a data source to a calculation view and try to deploy it. What do you observe in the SAP HANA database container?

- A. The deployment is successful but the data preview returns an error message.
- B. The deployment fails and the table is not dropped.
- C. The deployment fails and the table is dropped.
- D. The deployment is successful and the data preview returns expected data.


ANSWER: B**QUESTION NO: 2**

You want to ensure that your calculation view does not give unexpected results for a query that is based on any combination of columns. What is the recommended approach for verifying the results?

- A. Set the HIDE property for columns NOT required.
- B. Write and execute a custom SQL query in the SQL Console.
- C. Select Data Preview for the calculation view.
- D. Select and deselect columns from the output mapping.

ANSWER: B C**QUESTION NO: 3**

You want to map an input parameter of calculation view A to an input parameter of calculation view B using the parameter mapping feature in the calculation view editor.



However, the input parameters of calculation view B are not proposed as source parameters. What might be the reason for this?

- A. You already mapped the input parameters in another calculation view.
- B. The names of the input parameters do not match.
- C. You selected the wrong parameter mapping TYPE.
- D. Your source calculation view is of type DIMENSION.

ANSWER: A

QUESTION NO: 4

What is a restricted measure?

- A. A measure that can be consumed by a CUBE and not a DIMENSION.
- B. A measure that is filtered by one or more attribute values.
- C. A measure that can only be displayed by those with necessary privileges.
- D. A measure that cannot be referenced by a calculated column.

ANSWER: B

QUESTION NO: 5

What are some of the typical roles in an SAP HANA Cloud implementation? Note: There are 2 correct answers to this question.

- A. Data architect
- B. Modeler
- C. Kubernetes expert
- D. ABAP developer

ANSWER: A B

QUESTION NO: 6

In your calculation view, you want to consume a custom data source defined using SQLScript. In which type of object do you write your code?

- A. Scalar function
- B. Table function
- C. Anonymous block
- D. Procedure

ANSWER: B

QUESTION NO: 7

What options do you have to handle orphan nodes in your hierarchy? Note: There are 2 correct answers to this question.

- A. Define an expression to determine a parent.
- B. Generate additional root nodes.
- C. Assign them to a level below the root.
- D. Assign them to a node at the root level.

ANSWER: B C

QUESTION NO: 8

Which of the following techniques can you use to improve the performance of calculation views? Note: There are 2 correct answers to this question.

- A. Avoid aggregating data early in the data flow.
- B. Partition large tables.
- C. Limit the number of stacked calculation views.

D. Implement union pruning.

ANSWER: B C

QUESTION NO: 9

Which tool generates and executes the SQL for a specific node of your calculation view?

- A. Debug Query mode
- B. Explain plan
- C. SQL analyzer
- D. Database explorer

ANSWER: A

QUESTION NO: 10

What is generated when you deploy a CUBE calculation view design-time file?Note: There are 2 correct answers to this question.

- A. Cached results to improve read performance
- B. Metadata to enable consumption by external tools
- C. An SQL execution plan
- D. A column view in a container

ANSWER: A B