

DUMPS ARENA

BICSI Registered Communications Distribution Designer - RCDDv14.1

BICSI RCDDv14.1

Version Demo

Total Demo Questions: 15

Total Premium Questions: 318

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

The type of apparatus housed in ERs vary greatly in size, purpose and function. Which two of the following active equipment is included? (Choose two.)

- A. Cross-connect facilities
- B. Telecommunications equipment
- C. Environmental controls
- D. Lighting controls
- E. Building system equipment

ANSWER: B E

QUESTION NO: 2


Which two of the following may the ICT distribution designer need to provide in order to identify the BEST solutions for the client's need? (Select two options.)

- A. Preliminary budget numbers
- B. Color scheme for dropcables
- C. Documentation plan
- D. Recommendations for label design of outlets
- E. Time constraints and/or milestones

ANSWER: A E


QUESTION NO: 3 - (DRAG DROP)

Identify the fibers below as either single mode (SM) or multi-mode (MM) by dragging the appropriate term into each oval.



ANSWER:

Explanation:



QUESTION NO: 4

A country is in the process of strengthening its defense program. A key project is not meeting its specified performance objectives. The project manager initiates a change request to address this issue.

What should the program manager do NEXT?

- A. Consider the option to close out the key project
- B. Evaluate the program and re-baseline the objectives
- C. Assess the benefits and impact to the program.
- D. Amend the risk register with the key project changes

ANSWER: C

QUESTION NO: 5

In the last year, all program phase gate reviews received excellent feedback and exceeded stakeholder expectations recently, the customer decides that there is no need to continue phase gate reviews.

What should the program manager do next?

- A. Ask the stakeholders what they want and proceed with their recommendations

- B. Agree with the customer and Initiate change control procedures
- C. Continue periodic gate reviews to maintain program effectiveness for benefits realization
- D. Replace program reviews with periodic communications of the program's status

ANSWER: C

QUESTION NO: 6

Conducted coupling may affect electronic devices primarily through which two of the following means'? (Select two options.)

- A. inductive coupling (by magnetic fields)
- B. Input signal lines
- C. Output signal lines
- D. Optical signal lines
- E. Capacitive coupling (by electric fields)

ANSWER: B C

QUESTION NO: 7

The program sponsor requests a weekly performance report. The tools and techniques to monitor and control program performance include which of the following?

- A. Program management performance variances business criteria reweighting, root cause identification, and statistical sampling
- B. Interviewing, SWOT analysis, run chart and matrix-based charts
- C. Earned value management financial reporting systems, performance measurement techniques and program management information systems
- D. Delphi technique, scatter diagram. Pareto chart, and organization charts

ANSWER: C

QUESTION NO: 8

In specifying labels and pruned tags that meet Underwriters Laboratories (UL) 969 Standard, marking and labeling systems are provided following the listed metrics. Which two of the following are REQUIRED for the UL standard? (Select two options.)

- A. Adhesion test

- B. Thickness test
- C. Texture test
- D. Durability test
- E. Visual inspection

ANSWER: A E

QUESTION NO: 9

Using a vertical cable support structure can create issues for the cable attached to the pathway. Several issues can result if the support work is not done correctly. Which two of the following conditions could be caused by a poorly supported cabled? (Select two options.)

- A. Lower dB loss values
- B. Stretching of copper conductors and breakage of optical fiber strands
- C. Increased Interference levels
- D. Reduced expected useful life and performance
- E. Slippage between the cable core and the sheath

ANSWER: B E

QUESTION NO: 10

Which two of the following components are included in a backbone distribution system (BDS)? (Choose two.)

- A. Work area outlets
- B. Telecommunications enclosures
- C. Equipment Cord
- D. Equipment rooms
- E. Horizontal Cable

ANSWER: B D

QUESTION NO: 11

The program manager completed the program's benefits analysis and planning activities. What will this ensure for the program?

- A. Information necessary to establish key benefit performance indicators
- B. A transition plan to facilitate the ongoing realization of benefits
- C. A plan to monitor performance due to operational, financial, and benefits changes
- D. A benefits management plan to guide the work through the remainder of the program

ANSWER: D

QUESTION NO: 12

Which two of the following are means in which radiated interference primarily enters electronic devices? (Select two options.)

- A. Proximity to interfering sources
- B. Missing or inadequate optical connections
- C. Missing or inadequate device or cable shielding
- D. Interface designs
- E. Input signal lines

ANSWER: A C

QUESTION NO: 13

What actions are taken in the process of developing and maintaining a program risk register?

- A. Assign ownership of risks with appropriate responsibilities, document agreed-upon response strategies and provide the foundation for the risk management plan
- B. Assign ownership of risks with appropriate responsibilities, document agreed-upon response strategies and identify the root cause of potential risks
- C. Assign ownership of risks with appropriate responsibilities, document agreed-upon response strategies, and proactively manage program issues
- D. Assign ownership of risks with appropriate responsibilities, document agreed-upon response strategies, and identify residual risks.

ANSWER: B

QUESTION NO: 14

The chief executive officer reminds a program manager that a program must deliver a 30% reduction in customer complaints by the end of the year. Where is this expectation documented?

- A. Program quality standards
- B. Customer management plan
Benefits management plan
- C. Benefits sustainment plan

ANSWER: B

QUESTION NO: 15

A company initiates a program to reorganize its sales and production departments. Three production departments are located at the three production plants next to the company's headquarters. Five regional sales departments are located at different locations around the world.

At this stage of the program, what is the first step?

- A. Develop a program work breakdown structure
- B. Identify and quantify business benefits of the program
- C. Determine and prioritize the various components of the program
- D. Prepare a program organization chart covering both sales and production

ANSWER: B