

DUMPS ARENA

Appian Certified Senior Developer

Appian ACD200

Version Demo

Total Demo Questions: 10

Total Premium Questions: 76

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Your table contains several indexes.

Which two statements regarding indexes are correct? (Choose two.)

- A. Indexes increase the performance of Read operations.
- B. Indexes increase the performance of Write operations.
- C. Indexes decrease the performance of Write operations.
- D. Indexes decrease the performance of Read operations.

ANSWER: A C**QUESTION NO: 2**

You are required to test a Related Action that updates record data. You need to make sure that the correct users can access the form and that the data is updating successfully.

Which is the most appropriate testing method to achieve this using Appian?

- A. Unit Testing
- B. User Interface (UI) Testing
- C. Load Testing
- D. Performance Testing

ANSWER: A**QUESTION NO: 3**

Which user role should be used to allow external systems to invoke Appian web APIs?

- A. Service Account
- B. System Administrator
- C. Application User
- D. Designer

ANSWER: A

QUESTION NO: 4

You are tasked with configuring a process model to store the result of an expression rule for every item in a list.

Which process model design has the lowest memory footprint?

- A. Run MNI over a script task for each item in the list.
- B. Call a sub-process for each item in the list.
- C. Configure a script task to use alforeach to iterate over each item in the list.
- D. Create a loop of smart service nodes in the process model and execute it for each item in the list.

ANSWER: C**QUESTION NO: 5**

Users are reporting that a task on a newly-launched process in Production is slow to respond to user input.

What is the likely cause? (Choose the best answer.)

- A. The process uses too many hidden variables.
- B. The task is assigned to too many users.
- C. There are too many SAIL components on the task.
- D. Exception timers on tasks are set to values that are too low.

ANSWER: C**QUESTION NO: 6**

You need to build a process model that transforms a large data set.

Which two things should you ensure to include in your process model? (Choose two.)

- A. A subprocess is called using "Multiple Node Instances (MNI)" to perform the transformation on each item in the data set.
- B. An XOR gateway is added before the transformation node, to check for empty/null values.
- C. A loop is created within the process model that increments on each iteration, updating that particular row in the data set.
- D. The transformation is applied with an expression rule that takes the data set as an input, and loops through the dataset using a looping function, such as foreach.

ANSWER: B D

QUESTION NO: 7 - (HOTSPOT)

HOTSPOT

Match each of the business data concepts to an Appian data type. Each data type may be used once, more than once, or not at all.

Transaction Timestamp

▼
Date and Time
Number (Integer)
Number (Decimal)
Boolean
Document

Amount (Value)

▼
Date and Time
Number (Integer)
Number (Decimal)
Boolean
Document

List Index

▼
Date and Time
Number (Integer)
Number (Decimal)
Boolean
Document

Has Paid?

▼
Date and Time
Number (Integer)
Number (Decimal)
Boolean
Document

ANSWER:

Transaction Timestamp

	▼
Date and Time	
Number (Integer)	
Number (Decimal)	
Boolean	
Document	

Amount (Value)

	▼
Date and Time	
Number (Integer)	
Number (Decimal)	
Boolean	
Document	

List Index

	▼
Date and Time	
Number (Integer)	
Number (Decimal)	
Boolean	
Document	

Has Paid?

	▼
Date and Time	
Number (Integer)	
Number (Decimal)	
Boolean	
Document	

Explanation:

Transaction Timestamp

▼
Date and Time
Number (Integer)
Number (Decimal)
Boolean
Document

Amount (Value)

▼
Date and Time
Number (Integer)
Number (Decimal)
Boolean
Document

List Index

▼
Date and Time
Number (Integer)
Number (Decimal)
Boolean
Document

Has Paid?

▼
Date and Time
Number (Integer)
Number (Decimal)
Boolean
Document

QUESTION NO: 8

An organization has decided to integrate with a third-party to scan incoming documents and capture the details in a table called [appian].[document]. Each document will form a new case in Appian to be displayed on a Record List.

The record needs to show data from both [appian].[document] and [appian].[caseData], which holds additional case information.

What is the most efficient way to achieve this?

- A. Create a trigger on the [appian].[document] table to copy all the data across to the [appian].[caseData] table and point the record at [appian].[caseData].
- B. Create a SSIS package to run at a regular interval.
- C. Create a view between both the [appian].[document] and [appian].[caseData] tables to feed the record.
- D. Create a stored procedure to query the data from both the [appian].[document] and [appian].[caseData] tables.

ANSWER: C**QUESTION NO: 9**

You want to approve or reject an incoming deployment.

Which three roles allow you to do so? (Choose three.)

- A. Specified Reviewer Group
- B. System Administrators
- C. Application Viewers
- D. Application Administrators Group
- E. Application Editors

ANSWER: A B D**QUESTION NO: 10**

You create an interface, but it fails to load. When you open the design errors log, you see a memory circuit breaker error.

What are two possible root causes of this error? (Choose two.)

- A. A database query is taking too long to evaluate.
- B. The interface contains some special characters.
- C. The interface is storing too much data in local variables.
- D. The interface component is looping over too many items.

ANSWER: C D