

# DUMPS ARENA

## SAP Certified Application Associate - SAP HANA 2.0 SPS06

SAP C HANAIMP 18

Version Demo

Total Demo Questions: 10

Total Premium Questions: 80

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

sales@dumpsarena.co  
dumpsarena.co

**QUESTION NO: 1**

Why would you partition a table in an SAP HANA Cloud database?Note: There are 2 correct answers to this question.

- A. To improve response time when multiple users access the same table
- B. To overcome the 2 billion record limit
- C. To improve data replication performance on large row tables
- D. To improve query performance when accessing large column tables

**ANSWER: B D****QUESTION NO: 2**

Why do we use Git when modeling calculation views?Note: There are 2 correct answers to this question.

- A. To manage versions of source files
- B. To display dependencies in stacked scenarios
- C. To automate the build process
- D. To enable collaboration between developers

**ANSWER: A D****QUESTION NO: 3**


Your calculation view consumes one data source, which includes the following columns: SALES\_ORDER\_ID, PRODUCT\_ID, QUANTITY and PRICE.In the output, you want to see summarized data by PRODUCT\_ID and a calculated column, PRODUCT\_TOTAL, with the formula QUANTITY \* PRICE.In which type of node do you define the calculation to display the correct result?

- A. Projection
- B. Union
- C. Aggregation
- D. Join

**ANSWER: A**

**QUESTION NO: 4**

Referring to the diagram, which privileges would a user require to view United States data when querying the CUBE calculation view?



- A. A SELECT privilege on the CUBE calculation view and an Analytic Privilege (Country = United States) on the DIMENSION calculation view
- B. SELECT privileges and Analytic Privileges (Country = United States) on both views
- C. A SELECT privilege and an Analytic Privilege (Country = United States) on the DIMENSION calculation view
- D. A SELECT privilege and an Analytic Privilege (Country = United States) on the CUBE calculation view

**ANSWER: A**

**QUESTION NO: 5**

Which are the components of SAP HANA Cloud? Note: There are 3 correct answers to this question.

- A. SAP Data Warehouse Cloud
- B. SAP HANA Cloud data lake
- C. Native Storage Extension
- D. SAP Analytics Cloud
- E. SAP HANA in-memory database

**ANSWER: A B D**

**QUESTION NO: 6**

Why would you build a calculation view of type SQL Access only?

- A. To enable SQL access to your hierarchies
- B. To provide a data source that can only be consumed by a function or procedure
- C. To provide a high performance model when only attributes are required
- D. To provide a data source that is only consumed by other calculation views

**ANSWER: D****QUESTION NO: 7**

You want to ensure that your calculation view does not give unexpected results for a query that is based on any combination of columns. What is the recommended approach for verifying the results?

- A. Write and execute a custom SQL query in the SQL Console.
- B. Select and deselect columns from the output mapping.
- C. Set the HIDE property for columns NOT required.
- D. Select Data Preview for the calculation view.

**ANSWER: A****QUESTION NO: 8**

Which of the following are capabilities of SAP HANA smart data access? Note: There are 2 correct answers to this question.

- A. Replication of remote data
- B. Push-down of queries to remote data sources
- C. Exposure of real-time data from remote tables
- D. Cleansing and harmonization of data from disparate sources

**ANSWER: B C****QUESTION NO: 9**

What are possible consequences of unfolding? Note: There are 2 correct answers to this question.

- A. Count-distinct results are incorrect

- B. Results are read from static cache
- C. Query processing time improves
- D. SQL compilation time increases

**ANSWER: B D**

**QUESTION NO: 10**

In a calculation view, what is the purpose of a variable?

- A. To provide a dynamic value in a calculated column
- B. To break up complex SQL into smaller steps
- C. To filter an attribute at run-time based on a user input
- D. To pass values between procedures and calculation views

**ANSWER: C**