

DUMPS ARENA

Oracle CPQ 2022 Implementation Professional

Oracle 1z0-1033-22

Version Demo

Total Demo Questions: 10

Total Premium Questions: 96

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Identify two ways in which you can display a message to a user while using simple table-based lookups for an attribute. (Choose two.)

- A. defining an advanced BML (CPQ Cloud Language) function for that attribute
- B. setting the message type as Static Entry when selecting an attribute to populate
- C. setting the message type as Table Column when selecting an attribute to populate
- D. defining a static text message for that attribute

ANSWER: B D**QUESTION NO: 2**

How can you prevent users with the RestrictedAccess user type from creating a new transaction using Transaction Manager?

- A. Go to the Commerce Process admin page and open the participant profiles of the start step. Remove all user access rights entries for RestrictedAccess
- B. Navigate to the Process Invocation admin page and remove the user access rights entries for RestrictedAccess for all pages.
- C. Open the Commerce Process admin page, navigate to Process Actions, click Access Rights for the New Transaction action, and remove all company type and user type RestrictedAccess entries.
- D. Open the Commerce Process admin page, navigate to Process Manager, click Access Rights, and make sure that RestrictedAccess user type is not selected.

ANSWER: C**QUESTION NO: 3**

A Commerce Constraint rule has been used to show only the applicable currencies in the Currency attribute based on the value selected in the Country attribute.

After selecting the value in the Country attribute, what should be performed to run the specified Constraint rule?

- A. Any action will trigger the Constraint rule.
- B. The Save action must be performed.
- C. No additional action is needed.
- D. The Submit action must be performed.

ANSWER: C

QUESTION NO: 4

What does the function `getConfigattrvalue ()` return?

- A. Returns all Text Area Attribute values only
- B. Returns the values of configuration attributes in Commerce
- C. Returns all Menu Attribute values only
- D. Returns the values of configuration attributes in Config

ANSWER: B

Explanation:

The best practice for retrieving the value of a configurable attribute in Commerce is to use the `getConfigattrvalue()`

References:

QUESTION NO: 5

Identify the three data types available for part custom fields. (Choose three.)

- A. "Currency"
- B. "Float" can be changed to "Integer"
- C. "String" can be changed to "Single Select Menu"
- D. "Boolean"
- E. "Date" can include time
- F. "Multi Select Menu"

ANSWER: A B C

QUESTION NO: 6

Identify four types of attributes that can be set by formulas. (Choose four.)

- A. Integer Attributes
- B. Single Select Menu Attributes
- C. Date Attributes

- D. Text Attributes
- E. Boolean Attributes
- F. Currency Attributes

ANSWER: A C E F

QUESTION NO: 7

How can action buttons be hidden in Commerce?

- A. by using Commerce hiding rules
- B. by using Configuration hiding rules
- C. by using profiles and steps in Commerce
- D. by putting the action button bar on a hidden tab in Commerce

ANSWER: A

Explanation:

References:

QUESTION NO: 8

Which are three testing strategies for Oracle CPQ Cloud? (Choose three.)

- A. Test cases should be directly linked to business requirements.
- B. Avoid using a test case tracking tool because it is time consuming to track all of the testing team's efforts.
- C. Perform isolated tests as well as intra-system and cross-system integration tests.
- D. Create specific test data for accounts, opportunities, and contracts in the CRM system and use that data to perform end-to-end tests for CPQ Cloud quotes.

ANSWER: B C D

QUESTION NO: 9

Which three page types have predefined page templates? (Choose three.)

- A. Process Document List Page
- B. Product Line List Page

- C. User Administration List Page
- D. Model List Page
- E. Parts Search Page

ANSWER: A B C

QUESTION NO: 10

The user would like to run the “SFDC Quote Upsert” on a commerce action. Where would the user define this within CPQ?

- A. The user will define the action to run in the SOAP Generator XSL.
- B. The user will select the “SFDC Quote Upsert” from the Integration list in the Integration tab on the commerce action.
- C. The user will select the “SFDC Quote Upsert” from the Modify tab in the commerce action.
- D. The user will define the relation in the Integration Center under the Integration Platform within the Admin Homepage.

ANSWER: B