

DUMPS ARENA

Salesforce Certified Heroku Architect

Salesforce Heroku-Architect

Version Demo

Total Demo Questions: 10

Total Premium Questions: 184

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Universal Containers (UC) has expressed a desire to have encryption-at-rest enabled on their Heroku Postgres databases. Which three tiers would UC need to use to have that feature enabled? (Choose three.)

- A. Private
- B. Standard
- C. Hobby
- D. Shield
- E. Premium

ANSWER: A B E**Explanation:**

References:

QUESTION NO: 2

Universal Containers runs an application in a Private Space in the Frankfurt region. The majority of the application's users (based in Asia) are reporting issues related to high latency. What should an Architect recommend to remediate this issue cost-effectively?

- A. Add the Tokyo region to the existing Private Space. Update the application's configuration to move it to Tokyo region.
- B. Deploy the application to the Common Runtime and select Tokyo as the region. Delete the existing Private Space.
- C. Create an additional Private Space in the Tokyo region. Deploy an additional instance of the application to the region.
- D. Create a new Private Space in the Tokyo Region, and deploy the application to the region. Delete the existing Private Space.

ANSWER: D**Explanation:**

<https://devcenter.heroku.com/articles/heroku-connect-database-tables#encrypted-strings>

QUESTION NO: 3

A client is running an app on 20 Standard-2x dynos. They are noticing highly variable performance when the application is experiencing a heavy load.

Which two suggestions should an Architect make in this scenario? (Choose two.)

- A. Configure the app to use Standard-1x dynos.
- B. Configure the app to use Performance dynos.
- C. Install a performance monitoring tool.
- D. Add additional Standard-2x dynos.

ANSWER: B D

Explanation:

References:

QUESTION NO: 4

Which two Heroku features require Heroku Enterprise Teams? (Choose two.)

- A. Fire-grained app access controls
- B. Single Sign-on
- C. Paid add-on plans
- D. Heroku Pipelines

ANSWER: A D

QUESTION NO: 5

Universal Containers (UC) has a front-end web application and a back-end service application running on Heroku. The applications are running in the Common Runtime. Now, UC wants to prevent any public access to the back-end application. Which two Heroku features should an Architect propose?

- A. Private Space VPN Connections
- B. Private Spaces DNS Service Discovery
- C. Heroku Internal Routing
- D. Apache Kafka on Heroku

ANSWER: A B

QUESTION NO: 6

Universal Containers (UC) has a Heroku application that runs in Virginia, in the U.S., that uses Apache Kafka on Heroku. They have deployed a copy of the app in Asia. Now, both apps need a messaging backbone that will support multi-region distribution.

What is the least complex architecture that an Architect should recommend?

- A. Deploy a multi-region version of Apache Kafka on Heroku.
- B. Use Heroku's multi-tenant Kafka Basic plan.
- C. The app in Asia should write to the Kafka instance in Virginia.
- D. Provision a second Kafka add-on in Asia. Each instance of the app should sync with each other.

ANSWER: B

QUESTION NO: 7

A client is writing a Heroku application that requires compliance with PCI DSS Level 1. To accomplish this, they deploy an application to the Shield Private Space. Which statement is true about the application?

- A. The application might still violate PCI DSS Level 1 even though it is deployed to a Shield Private Space
- B. The Shield Private Space guarantees that the application is compliant with PCI DSS Level 1, assuming the application uses only Shield Postgres databases
- C. The application is definitely not compliant with PCI DSS Level 1. because Shield Private Spaces do not provide compliance with it.
- D. The Shield Private Space guarantees that the application is compliant with PCI DSS Level 1

ANSWER: A

QUESTION NO: 8

A customer wants to sync data between their Salesforce org and Heroku Postgres.

Which two limitations should an Architect remember when recommending Heroku Connect? (Choose two.)

- A. Heroku Connect can only access fields and objects that its associated Salesforce integration user can access.
- B. Heroku Connect does not support all Salesforce objects and fields.
- C. Heroku Connect does not provide an API.
- D. Heroku Connect cannot sync custom objects.

ANSWER: A C

Explanation:

References:

QUESTION NO: 9

A client has a Heroku app that uses Apache Kafka on Heroku. They want to refactor the app into 2 distinct apps that will both continue to use Kafka (because they probably don't have so much to do in their life). Based on this refactoring, what should an Architect recommend?

- A. Ensure that the apps consume mutually exclusive sets of Kafka topics
- B. Attach the existing Kafka add-on to both apps
- C. Designate one app as a producer and the other as a consumer
- D. Attach the existing Kafka add-on to one app and attach a new Kafka add-on to the other app

ANSWER: B**QUESTION NO: 10**

What does a follower of Heroku Postgres leader database provide?

- A. A static snapshot of the leader
- B. A in-memory snapshot of the leader.
- C. A read-only replica of the leader.
- D. A writable replica of the leader.

ANSWER: C