

DUMPS ARENA

NetApp Certified Implementation Engineer - Data Protection

Netapp NS0-527

Version Demo

Total Demo Questions: 10

Total Premium Questions: 156

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Which NetApp technology helps to protect against ransomware attacks?

- A. SnapLock
- B. SyncMirror
- C. NetApp Volume Encryption
- D. NetApp Aggregate Encryption

ANSWER: A

QUESTION NO: 2

You are asked to provide a solution that will allow a client to copy the data stored in a FlexVol volume to a remote tape system for archiving. You are using a cluster-aware backup application to perform this task.

Which three actions are required when you configure this solution for your client? (Choose three.)

- A. Configure NDMP at the SVM level.
- B. Configure multiple LIFs for SVM-scoped NDMP.
- C. Configure NDMP at the node level.
- D. Create a backup user account on the cluster.
- E. Configure a LIF for node-scoped NDMP.

ANSWER: C D E

QUESTION NO: 3

A client has a FlexVol volume that is 10 TB in size and is nearly full. The volume has a Snapshot reserve of 5%, that is currently utilized at 120%. They have chosen to enable ONTAP to automatically delete the oldest Snapshot copies with a volume threshold trigger in order to free space within the volume when it becomes necessary.

In this scenario, what amount of space would be made available to the client, without additional intervention?

- A. 1000 GB
- B. 500 GB
- C. 50 GB
- D. 100 GB

ANSWER: A**QUESTION NO: 4**

What are three methods of configuring SnapMirror replication relationships? (Choose three.)

- A. Use Active IQ.
- B. Use the ONTAP command line.
- C. Use OnCommand Insight.
- D. Use ONTAP System Manager.
- E. Use Active IQ Unified Manager.

ANSWER: C D E**QUESTION NO: 5**

Click the Exhibit button.

The screenshot displays an error message in a box: "Error Using peer-address 192.168.100.153: An introductory RPC to the peer address "192.168.100.153" failed to connect: RPC: Remote system error [from mgwd on node "cluster2-01" (VSID: -1) to xcintro at 192.168.100.153]. Verify that the peer address is correct and try again."

Below the error message, the configuration for cluster peering is shown. On the left, under "Initiator Cluster (cluster2)", the "Initiator Cluster Intercluster LIFs" table is visible:

IPspace	Default
(clu...1)	192.168.0.143

On the right, under "Target Cluster", the "Intercluster LIFs addresses" section shows a blue information icon next to "Target Cluster Intercluster LIF IP Addresses" with the value "192.168.100.153" highlighted in a box. Below this, a checkbox is checked, indicating "The effective cluster version of the remote cluster is earlier than ONTAP 9.6".

You are configuring cluster peering from cluster2 to cluster1 on your ONTAP 9.7 clusters using ONTAP System Manager. You are given the details shown below to set up the cluster peer relationship. You want to determine why the peering has failed.

Cluster2 intercluster LIF IP: 192.168.0.143 Subnet: 255.255.255.0 Port: e0e passphrase: netapp1234

Cluster1 intercluster LIF IP: 192.168.0.153 Subnet: 255.255.255.0 Port: e0e passphrase: netapp1234

Referring to the exhibit, which statement is correct?

- A. The Source Cluster IP is incorrect.
- B. The Target Cluster Passphrase is incorrect.
- C. The Target Cluster IP is incorrect.
- D. The Source Cluster Passphrase is incorrect.

ANSWER: C D

QUESTION NO: 6

You have a NAS volume that contains 250 GB of data with a daily change rate of 10%. You want to keep seven daily Snapshot copies.

In this scenario, what should the minimum copies of the volume be?

- A. 325 GB
- B. 550 GB
- C. 250 GB
- D. 425 GB

ANSWER: B

Explanation:

Reference: <https://library.netapp.com/ecmdocs/ECMP1368845/html/GUID-3AA3830F-FA54-4BA1-8309-AF0809B1CF73.html>

QUESTION NO: 7

You want to modify the existing Snapshot copy schedule to allow for more granularity in your ability to recover data after a corruption or loss.

In this scenario, which two tools allow you to accomplish this task (Choose two.)

- A. OnCommand System Manager
- B. OnCommand Unified Manager
- C. NetApp SnapCenter
- D. ONTAP CLI

ANSWER: B D

QUESTION NO: 8

Which attribute does Data ONTAP use to identify Snapshot copies between primary and secondary FlexVol volumes in a SnapVault relationship?

- A. FlexVol name
- B. Snapshot prefix
- C. SnapMirror policy
- D. SnapMirror label

ANSWER: D

QUESTION NO: 9

A customer wants to enforce prompt tiering when the cooling threshold has been reached. They want to do this even though the data may have been deleted or the data continues to exist in the primary file system.

In this scenario, which tiering policy should be used?

- A. Auto
- B. Snapshot-only
- C. Backup
- D. None

ANSWER: A

QUESTION NO: 10

You configured a SnapMirror relationship with a default policy for the daily mirroring of a volume which contains financial data. Although the data is critical, it only changes on a monthly basis.

Using OnCommand System Manager, which two actions would change the frequency of the SnapMirror updates? (Choose two.)

- A. Select or create a different schedule.
- B. Edit the parameters of the default schedule.
- C. Select or create a different policy.
- D. Edit the parameters of the default policy.

ANSWER: C D

Explanation:

(<https://library.netapp.com/ecmdocs/ECMP1610202/html/snapmirror/policy/create.html>)