

# DUMPS ARENA

## PowerCenter Data Integration 9.x:Developer Specialist

Informatica PR000041

Version Demo

Total Demo Questions: 10

Total Premium Questions: 70

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

**QUESTION NO: 1**

An Unconnected Stored Procedure can run in the following fashions?(Choose all that apply) Choose 3 answers

- A. From an expression
- B. As a Post-Session SQL command
- C. As a Pre-Session SQL command
- D. As the only object In the mapping

**ANSWER: A B C****QUESTION NO: 2**

Which port types are applicable to the Stored Procedure transformation?(Choose all that apply) Choose 3 answers

- A. Input
- B. Output
- C. Variable
- D. Return

**ANSWER: A B D****QUESTION NO: 3**

Given the picture shown below:



Identify all of the true and correct statements listed below. Note: The red (or gray) arrow points at the line in question.

The line on the left hand side of the picture which connects PRODUCT TO PRODUCT\_COST : Choose 2 answers

- A. Describes a LEFT OUTER JOIN between PRODUCT AND PRODUCT\_COST
- B. Describes an INNER JOIN between PRODUCT AND PRODUCT\_COST
- C. Describes a secondary data flow needed for a sub-select process between PRODUCT AND PRODUCT\_COST
- D. Can be created within Informatica PowerCenter

**ANSWER: B D**

#### QUESTION NO: 4

Assuming that the value of F1 is 12 as it enters the decode statement, which of the following decode statements will produce the value V? Choose 2 answers

- A. 

```
DECODE(F1,  
      12, 'Y',  
      13, 'M',  
      14, 'N',  
      'R'  
    )
```
- B. 

```
DECODE(F1,  
      F1=12, 'Y',  
      F1=13, 'M',  
      F1=14, 'N',  
      'R'  
    )
```
- C. 

```
DECODE(TRUE,  
      F1=12, 'Y',  
      F1=13, 'M',  
      F1=14, 'N',  
      'R'  
    )
```
- D. 

```
DECODE(TRUE,  
      12, 'Y',  
      13, 'M',  
      14, 'N',  
      'R'  
    )
```

A. Option A

- B. Option B
- C. Option C
- D. Option D

**ANSWER: A C**

#### QUESTION NO: 5

Referring to an Unconnected Lookup transformation: Which one of the following is true? (choose one)

- A. An unconnected lookup can return multiple rows while a connected lookup may return only one
- B. Both connected and unconnected lookups can return multiple rows
- C. An unconnected lookup may return only one value while a connected lookup may return multiple rows
- D. Both connected and unconnected lookups can return only one row

**ANSWER: C**

#### QUESTION NO: 6

A Router transformation has the following group filter conditions:

The InputValue Is an integer port. Identify which of the following statements is correct. (Choose one)

- A. If InputValue = 2, the output will be routed to Group A only
- B. If InputValue = 2, the output will be routed to both groups A and B
- C. If InputValue = 2, the router will fail, since rows cannot be routed to multiple groups
- D. Any positive number values other than 1 or 2 will be routed to the Default group

**ANSWER: B**

#### QUESTION NO: 7

Which of the following is a reusable task available in workflow manager?

- A. Decision
- B. Assignment
- C. Control
- D. Command

**ANSWER: B**

**QUESTION NO: 8**

Which of the following statements regarding mapplets are correct and true?

- A. A mapplet can contain a target definition
- B. A mapplet can contain a source definition as well as a source qualifier
- C. Every mapplet must have at least 1 Input transformation as well as 1 Output transformation
- D. A mapplet can contain a Normalizer transformation

**ANSWER: B**

**QUESTION NO: 9**

Regarding the Sorter transformation and assuming that Powercenter is not utilizing Pushdown Optimization, select the statement which is correct and true:

- A. When the distinct check box is selected, every port in the sorter transformation will have the sort key selection enabled
- B. When transformation scope is set to a value of transaction, the sorter will sort on every record in the pipeline before it releases any data. The intermediate sort file will have markers for each transaction.
- C. If the distinct check box is not checked, the sorter will produce one record per unique key
- D. The Sorter transformation will utilize database indexes from the source database to perform the sort

**ANSWER: A**

**QUESTION NO: 10**

Which of the following statements are valid for Active and Passive Transformations? Choose 2 answers

- A. A transformation is active if It rearranges the order of the rows in the pipeline
- B. A transformation is active if it does not change the number of rows in the pipeline
- C. Transformations can be active and passive at the same time
- D. A passive transformation will not change the number of rows in the pipeline

**ANSWER: A D**