

# DUMPS ARENA

## Adobe Commerce Developer Professional

Adobe AD0-E711

Version Demo

Total Demo Questions: 9

Total Premium Questions: 60

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

**QUESTION NO: 1**

How are multiple EAV attributes belonging to the same entity grouped in the database?

- A. Based on the types of values they contain
- B. Based on all numeric values being stored in one table while text values are stored in the other
- C. Based on the sizes of values they contain

**ANSWER: A****Explanation:**

Multiple EAV attributes belonging to the same entity are grouped in the database based on the types of values they contain. This means that attributes with similar data types (e.g., text, integer, decimal, etc.) are stored in the same table.

**QUESTION NO: 2**

A developer needs to configure a page to use the single-column layout. Which XML code performs this task?

- A. `page/1 column.phtml`
- B. `page/1 column.phlml`
- C. `1cournn.phtml`

**ANSWER: A****Explanation:**

To configure a page to use the single-column layout, the developer should use the following XML code: `page/1 column.phtml`. This code sets the template for the page to the single-column layout template.

**QUESTION NO: 3**

Which theme directory contains the static files that can be loaded directly?

- A. `preprocessed`
- B. `web`
- C. `assets`

**ANSWER: B****Explanation:**

The "web" theme directory contains the static files that can be loaded directly. This folder is used to store CSS, JavaScript, images, and other static assets for the theme. Reference: <https://devdocs.magento.com/guides/v2.4/frontend-dev-guide/themes/theme-structure.html>

**QUESTION NO: 4**

A developer found a bug inside a private method of a third party module class. How can the developer override the method?

- A. Create a custom class with the corrected logic, and define the class as a preference for original one in the di.xml
- B. Create a custom class with corrected logic, and define the class as preference in the preferences.xml.
- C. Create a plugin, implement correct logic in the 'after' method, and then define the plugin in the di.xml.

**ANSWER: A****Explanation:**

To override a private method of a third-party module class, we need to create our own custom class with correct logic (overridden method) having same name & signature of target method, creating Preference configuration through di.xml that references our new class instead of original one.

References: - <https://devdocs.magento.com/guides/v2.4/extension-dev-guide/build/di-xml-file.html#preference-example> - <https://www.integer-net.com/magento2-overriding-private-methods/>

**QUESTION NO: 5**

A developer would like to initialize a theme in Adobe Commerce Which two files are required to complete this task? (Choose two.)

- A. composer.json
- B. theme.xml
- C. registration.php
- D. theme.less

**ANSWER: B C****Explanation:**

To initialize a theme in Adobe Commerce, you need two files: theme.xml and registration.php. The theme.xml file contains the theme's meta-information, while registration.php is used to register the theme with the system. Reference: <https://devdocs.magento.com/guides/v2.4/frontend-dev-guide/themes/theme-create.html>

**QUESTION NO: 6**

Which two actions will the developer need to take to translate strings added in JS files? (Choose two.)

- A. \$.trans( " )
- B. \$.image.\_C');
- C. translate("");  
define (( 'jquery1,
- D. 'mage/Translate' 1, function (\$, \$t) {...});

**ANSWER: A D**

**Explanation:**

To translate strings added in JS files in Magento, you should use the following two actions: 1. \$.trans("") - This function is a shorthand for translating strings in JavaScript. 2. 'mage/Translate', function (\$, \$t) {...} - This method is used to include the Magento translation component in your JavaScript and then use the \$t function to translate strings.

**QUESTION NO: 7**

In which two directories are third-party modules located by default? (Choose two.)

- A. app/modules/
- B. app/packages/
- C. app/code/
- D. vendor/

**ANSWER: C D**

**Explanation:**

In Magento, third-party modules are located by default in two directories: app/code/ and vendor/. The app/code/ directory is used for custom modules, while the vendor/ directory is used for modules installed via Composer. Reference: <https://devdocs.magento.com/guides/v2.4/extension-dev-guide/build/module-file-structure.html>

**QUESTION NO: 8**

Which two attribute input types can be used for a date? (Choose two.)

- A. Date
- B. Date and Time
- C. Schedule
- D. Timezone

**ANSWER: A B**

**Explanation:**

The two attribute input types that can be used for a date in Adobe Commerce are 'Date' and 'Date and Time'. 'Date' is used for storing only the date, while 'Date and Time' is used for storing both the date and time.

**QUESTION NO: 9**

Which CLI command should be used to determine that static content signing is enabled?

- A. bin/magento config:show dev/static/status
- B. bin/magento config:show dev/static/sign
- C. bin/magento config;show dev/static/sign/status

**ANSWER: B****Explanation:**

The correct CLI command to determine if static content signing is enabled in Magento is "bin/magento config:show dev/static/sign". This command will display the current status of the static content signing configuration.