

DUMPS ARENA

SAP Certified Product Support Specialist SAP Commerce Cloud

SAP E C4HYCP 12

Version Demo

Total Demo Questions: 5

Total Premium Questions: 40

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

What must you do when you configure the OAuth2 for SAP Cloud Integration? Note: There are 3 correct answers to this question.

- A. Assign ROLE_CLIENT or ROLE_TRUSTED_CLIENT in the SAP Commerce Backoffice.
- B. Configure the token endpoint URL in the SAP BTP cockpit.
- C. Assign the ESBMessaging.Send role in the SAP Commerce Backoffice.
- D. Run an ImpEx to import the OAuthClientDetails and ExposedOAuthCredential type data in the SAP Commerce Backoffice.
- E. Create the secret client credentials in the SAP Commerce Backoffice.

ANSWER: A B E**QUESTION NO: 2**

A new item type was added to an items.xml file named CarProcessDefinition. After the Ant build and SAP Commerce server startup, the following appears in the log file: 15:56:54 **** [java] [m[0;31mERROR [main] [DefaultModelConverterRegistry] code CarProcessDefinition does not belong to known type. Maybe you have added a new type without updating your system. What does this message mean?

- A. The new item has been added without specifying a deployment table.
- B. The new item type will be created after a system update.
- C. The new deployment table has been added without specifying a new item.
- D. The Java class associated to the new item is missing.

ANSWER: A**QUESTION NO: 3**

Which ImpEx headers can you use to update an SAP Commerce Cloud item? Note: There are 2 correct answers to this question.

- A. INSERT_UPDATE UserGroup;UID[unique=true];locname[lang=en];locname[lang=de];groups(uid)[mode=append]
- B. INSERT_UPDATE UserGroup;UID[unique=true];locname[lang:en];locname[lang:de];groups(uid)[mode=append]
- C. UPDATE UserGroup;UID[unique=true];locname;groups(uid)[mode=append]
- D. INSERT_UPDATE UserGroup;UID;locname;groups(uid)[mode=append]

ANSWER: A C

QUESTION NO: 4

What must you do before you can run CronJobs in SAP Commerce Cloud?

- A.** Set a reference to a specific job implementation within the CronJob.
- B.** Assign a CronJob to a group of nodes to run on a configured node group.
- C.** Configure a trigger to run at a specified time.
- D.** Assign a CronJob to run on a node with a specified I

ANSWER: C

QUESTION NO: 5

What is a Restriction?

- A.** The WHERE clause of a FlexibleSearch statement
- B.** A limitation of the types and attributes a user can see or edit in the Backoffice Administration Cockpit
- C.** A way to assign access rights to users and user groups
- D.** A fragment of the WHERE clause of a FlexibleSearch statement

ANSWER: D