

# DUMPS ARENA

## Palo Alto Networks Systems Engineer (PSE) - Strata Associate

Palo Alto Networks PSE-Strata-Associate

Version Demo

Total Demo Questions: 5

Total Premium Questions: 35

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

**QUESTION NO: 1**

A customer has enabled the Threat Prevention subscription on their Palo Alto Networks Next-Generation Firewall.

How will the performance of the firewall be affected if the customer also enables both WildFire and User-ID?

- A. The maximum throughput performance will be reduced, but the impact will vary based on the firewall model being used.
- B. Enabling User-ID will have no additional performance impact, but enabling WildFire will reduce throughput.
- C. There will be no additional performance impact to the firewall, and throughput will remain the same, regardless of firewall model.
- D. Enabling WildFire will have no additional performance impact, but enabling User-ID will reduce throughput.

**ANSWER: C****QUESTION NO: 2**

What is a technical benefit of User-ID in relation to policy control?

- A. It matches traffic against policy to check whether it is allowed on the network.
- B. It allows all users to designate view-only access to itinerant personnel.
- C. It improves safe enablement of applications traversing the network.
- D. It encrypts all private keys and passwords in the configuration.

**ANSWER: B****QUESTION NO: 3**

Which Next-Generation Firewall (NGFW) deployment model allows an organization to monitor traffic during evaluations without interruption to network traffic?

- A. Layer 2
- B. TAP mode
- C. virtual wire
- D. Layer 3

**ANSWER: B**

**QUESTION NO: 4**

An administrator wants to deploy a pair of firewalls in an active/active high availability (HA) architecture.

Which two deployment types are supported in this circumstance? (Choose two.) Select 2 Correct Responses

- A. Layer 3
- B. TAP mode
- C. Virtual Wire
- D. Layer 2

**ANSWER: A C****Explanation:**

参考: <https://knowledgebase.paloaltonetworks.com/KCSArticleDetail?id=kA10g000000ClzkCAC>

<https://docs.paloaltonetworks.com/pan-os/10-2/pan-os-admin/high-availability/ha-concepts/hamodes#id15a9d293-d220-431a-b616-bea9eedfdab2>

**QUESTION NO: 5**

Which three key functions are processed as part of the Palo Alto Networks single-pass architecture (SPA)? (Choose three.)

Select 3 Correct Responses

- A. User-ID
- B. Content-ID
- C. Intruder-ID
- D. Device-ID
- E. Virus-ID

**ANSWER: A B D**