

DUMPS ARENA

SAP Certified Development Associate SAP HANA Cloud 1.0

SAP C HCDEV 03

Version Demo

Total Demo Questions: 10

Total Premium Questions: 80

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

What is an event handler?

- A. A method
- B. A procedure
- C. An interface
- D. A function

ANSWER: A

QUESTION NO: 2

Why do you use request objects in the event handlers?Note: There are 3 correct answers to this question.

- A. To give information on the HTTP method
- B. To call external services
- C. To register another set of handlers
- D. To send an arbitrary event
- E. To provide error messages to the client

ANSWER: A B C

QUESTION NO: 3

What does the SAP Cloud Application Programming Model provide to enhance cloud-native technologies?Note: There are 3 correct answers to this question.

- A. Data access layers
- B. Destination service
- C. (Generic) service providers
- D. Service SDKs
- E. Cloud Foundry service

ANSWER: A C D

QUESTION NO: 4

Which request headers values are passed when the scheduler invokes the endpoint? Note: There are 2 correct answers to this question.

- A. req.headers.connection
- B. x-sap-job-id
- C. req.headers.authorization
- D. x-sap-job-schedule-id

ANSWER: B D**QUESTION NO: 5**

What is the sequence of steps to debug a procedure?

- A. Select the procedure to be debugged from the Database Explorer. Open the procedure for debugging and set the breakpoint. Open the debug panel and link the debugger to a session. Execute the procedure.
- B. Open the debug panel and link the debugger to a session. Select the procedure to be debugged from the Database Explorer. Open the procedure for debugging and set the breakpoint. Execute the procedure.
- C. Open the procedure for debugging and set the breakpoint. Open the debug panel and link the debugger to a session. Select the procedure to be debugged from the Database Explorer. Execute the procedure.
- D. Select the procedure to be debugged from the Database Explorer. Open the debug panel and link the debugger to a session. Open the procedure for debugging and set the breakpoint. Execute the procedure.

ANSWER: B**QUESTION NO: 6**

You are using Core Data Services (CDS) to define the persistence layer in SAP Business Application Studio. Which folder of the project do you use to create the design time files?

- A. srv
- B. db
- C. src
- D. web

ANSWER: C

QUESTION NO: 7

What can you use for Core Data Services (CDS)-based security in the SAP Cloud Application Programming Model?Note: There are 2 correct answers to this question.

- A. Scopes
- B. Privileges
- C. Authorizations
- D. Roles

ANSWER: C D**QUESTION NO: 8**

In Node.js, which file do you use to define external module dependencies?

- A. package.json
- B. server.js
- C. mta.yaml
- D. pom.xml

ANSWER: A**QUESTION NO: 9**

Which Node.js module do you use to run an SQL statement against the SAP HANA database?

- A. @sap/xssec
- B. @sap/xsenv
- C. @sap/hdbext
- D. @sap/hdi

ANSWER: C**QUESTION NO: 10**

Which of the following are Cloud Foundry service types that are supported for binding in the Run Configurations view?Note: There are 3 correct answers to this question.

- A. Space

- B. application-logs
- C. xsuaa
- D. auditlog
- E. managed-hana

ANSWER: B C D