

DUMPS ARENA

LPI Level 1 Exam 102, Junior Level Linux Certification, Part 2 of 2

LPI 102-400

Version Demo

Total Demo Questions: 10

Total Premium Questions: 120

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

Topic Break Down

Topic	No. of Questions
Topic 1, Shells, Scripting and Data Management	20
Topic 2, User Interfaces and Desktops	10
Topic 3, Administrative Tasks	24
Topic 4, Essential System Services	20
Topic 5, Networking Fundamentals	28
Topic 6, Security	18
Total	120

QUESTION NO: 1

Which commands can be used to change a user's account aging information? (Choose three.)

- A. usermod
- B. passwd
- C. chattr
- D. chage
- E. chsh

ANSWER: A B D

QUESTION NO: 2

Which of the following commands should be added to `/etc/bash_profile` in order to change the language of messages for an internationalized program to Portuguese (pt)?

- A. `export LANGUAGE="pt"`
- B. `export MESSAGE="pt"`
- C. `export UI_MESSAGES="pt"`
- D. `export LC_MESSAGES="pt"`
- E. `export ALL_MESSAGES="pt"`

ANSWER: D

QUESTION NO: 3

Which of the following are syslog facilities? (Choose two.)

- A. local7
- B. mail
- C. advanced
- D. postmaster

E. remote

ANSWER: A B

QUESTION NO: 4

Which of the following commands connects to the remote host example.com which has OpenSSH listening on TCP port 2222? (Choose two.)

- A. ssh --port 2222 example.com
- B. ssh -p 2222 example.com
- C. ssh -o Port=2222 example.com
- D. ssh -o GatewayPort=2222 example.com
- E. ssh example.com:2222

ANSWER: B C

QUESTION NO: 5

What is the command to delete the default gateway from the system IP routing table? (Choose two.)

- A. route del default
- B. ifconfig unset default
- C. netstat -r default
- D. ip route del default
- E. sysctl ipv4.default_gw=0

ANSWER: A D

QUESTION NO: 6

Which of the following files, when existing, affect the behavior of the Bash shell? (Choose two.)

- A. ~/.bashconf
- B. ~/.bashrc
- C. ~/.bashdefaults

- D. ~/.bash_etc
- E. ~/.bash_profile

ANSWER: B E

QUESTION NO: 7

What is the purpose of a screen reader?

- A. It reads text displayed on the screen to blind or visually impaired people.
- B. It reads the parameters of the attached monitors and creates an appropriate X11 configuration.
- C. It displays lines and markers to help people use speed reading techniques.
- D. It manages and displays files that contain e-books.

ANSWER: A

QUESTION NO: 8

Which of the following commands preloads and manages keys that are used for automatic authentication while logging in to other machines using SSH?

- A. sshd
- B. ssh-agent
- C. ssh-keygen
- D. ssh-add

ANSWER: B

QUESTION NO: 9

How can the existing environment variable FOOBAR be suppressed for the execution of the script./myscript only?

- A. unset -v FOOBAR;./myscript
- B. set -a FOOBAR="";./myscript
- C. env -u FOOBAR./myscript

D. env -i FOOBAR./myscript

ANSWER: C

QUESTION NO: 10

When the command echo \$ outputs 1, which of the following statements is true?

- A. It is the process ID of the echo command.
- B. It is the process ID of the current shell.
- C. It is the exit value of the command executed immediately before echo.
- D. It is the exit value of the echo command.

ANSWER: C