

DUMPS ARENA

A10 Certified Professional System Administration 4

A10 Networks A10-System-Administration

Version Demo

Total Demo Questions: 5

Total Premium Questions: 30

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

You upgraded the boot image and changed the boot pointer to the new image using bootimage command. Which of the following operations will load the new image?

- A. reload
- B. restore
- C. system-reset
- D. shutdown -r
- E. restart
- F. reboot

ANSWER: F**QUESTION NO: 2**

Given the following VRID 2 configuration, which device will host the VRID after the three devices at the same time?

```
vrrp-a vrid 2
  device-context 1
    blade-parameters
      priority 200
  device-context 2
    blade-parameters
      priority 200
  device-context 3
    blade-parameters
      priority 200
```

- A. Device 2
- B. Device 1
- C. VCS will randomly assign the VRID to a device based on the uptime of the device.
- D. Device 3
- E. The VRID will be hosted on all three devices at the same time.

ANSWER: B

QUESTION NO: 3

Which VRID priority scheme will implement an Active-Active-Active VRRP-A deployment with three ACOS devices?

1.

	Device 1	Device 2	Device 3
VRID 0	200	180	160
VRID 1	160	200	180
VRID 2	180	160	200

2.

	Device 1	Device 2	Device 3
VRID 0	200	180	160
VRID 1	200	180	160
VRID 2	200	180	160

3.

	Device 1	Device 2	Device 3
VRID 0	200	200	200
VRID 1	180	180	180
VRID 2	160	160	160

- A. 1
- B. 2
- C. 3

ANSWER: A

QUESTION NO: 4

Given the following "show vcs summary" output, which statements are true about the virtual chassis set? (Choose three.)

```
VCS Chassis:
VCS Enabled:      YES
Chassis ID:       1
Floating IP:      1.0.0.10
Mask:             255.255.255.0
Multicast IP:     224.0.0.210
Multicast Port:   41217
Version:          4.1.0-P1
```

Members (* means local device):

ID	State	Priority	IP:Port	Location
1	vMaster	0	1.0.0.1:41216 3.0.0.1:41216	Remote
2	Unknown	0		Remote
3	vBlade (*)	0	3.0.0.3:41216 1.0.0.3:41216	Local
Total: 3				

- A. Three devices were configured as part of the virtual chassis.
- B. The command was run from the aVCS vMaster.
- C. The aVCS vMaster of the group can always be accessed at IP Address 1.0.0.1.
- D. The aVCS vMaster of the set can always be accessed at IP Address 224.0.0.210.
- E. The command was run from device 3 of the set.
- F. This is aVCS set-id 1.

ANSWER: A E F

QUESTION NO: 5

Which three items does aXAPI require to configure an ACOS object (such as an SLB object)? (Choose three.)

- A. Endpoint with parameters
- B. Authorization signature
- C. Device's VIP URL
- D. Device's serial number
- E. Device's management/data IP
- F. Encrypted connection to device

ANSWER: B E F