

# DUMPS ARENA

## SUSE Certified Linux Administrator 12

Novell 050-733

Version Demo

Total Demo Questions: 10

Total Premium Questions: 158

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

**QUESTION NO: 1**

Which statement is correct?

- A. The netdate command and the ntpd use the same port
- B. The Network Time Protocol uses port 123, TCP
- C. A Stratum 16 server is one that sets its time by some external reference clock, such as an atomic clock.
- D. NTP aims at correcting the system time without sudden bigger changes.
- E. /etc/clock.conf is the NTP daemon configuration file.

**ANSWER: A**

**QUESTION NO: 2**

In a terminal window, your current working directory is /home/geeko. You want to change to the /tmp directory.

Which command will make the desired change of directories? (Choose two.)

- A. cd /tmp
- B. cd ../../tmp
- C. cwd /tmp
- D. cd tmp
- E. cd ../tmp
- F. cd ./tmp

**ANSWER: A B**

**QUESTION NO: 3**

Which statement regarding symbolic links is true? (Choose two.)

- A. A symbolic link can point to a file on a different file system.
- B. A symbolic link and the file it points to share the same inode.
- C. If you delete the symbolic link, the original file is deleted as well.

- D. If you delete the original file, the symbolic link points to a non-existing file.
- E. With a symbolic link, you cannot see directly that it is a link.

**ANSWER: A D**

**Explanation:**

References:

[https://en.wikipedia.org/wiki/Symbolic\\_link](https://en.wikipedia.org/wiki/Symbolic_link)

**QUESTION NO: 4**

What packages need to be installed for UEFI secure boot? (Choose three.)

- A. grub2-x86\_64-efi
- B. shim
- C. mokutil
- D. boot-keygen
- E. md5boot
- F. lilo
- G. cms\_mod
- H. osverify

**ANSWER: A B C**

**Explanation:**

References: <https://en.opensuse.org/openSUSE:UEFI>

**QUESTION NO: 5**

What command disables the ssh service on a systemd system?

- A. systemctl disable sshd
- B. systemdctl disable sshd
- C. systemd-stop sshd
- D. systemctl sshd - --status=disabled

**ANSWER: A****Explanation:**References: [https://docs.fedoraproject.org/en-US/Fedora/15/html/Deployment\\_Guide/ch-Services\\_and\\_Daemons.html](https://docs.fedoraproject.org/en-US/Fedora/15/html/Deployment_Guide/ch-Services_and_Daemons.html)**QUESTION NO: 6**

What is the output of the echo '\$HOME' command when user geeko (home directory /home/geeko) enters it at the bash shell prompt?

- A. geeko
- B. /home/geeko
- C. \$HOME: No such file or directory
- D. \$HOME

**ANSWER: D****QUESTION NO: 7**

What file system type allows bi-directional communication between processes?

- A. Pipes
- B. Character devices
- C. Block devices
- D. Sockets
- E. Links

**ANSWER: D****QUESTION NO: 8**

You have a file named file1 and you want to create a symbolic link named link-to-file1 to the file. In a terminal window, which command accomplishes what you want? (Choose two.)

- A. In file link-to-file1
- B. In link-to-file1 file1
- C. In `-s file1 link-to-file1`

- D. ln -s link-to-file1 file1
- E. cp -s file1 link-to-file1
- F. mv -s file1 link-to-file1

**ANSWER: C E**

**Explanation:**

References:

<http://www.cyberciti.biz/faq/creating-soft-link-or-symbolic-link/> <https://www.computerhope.com/unix/ucp.htm>

**QUESTION NO: 9**

How do you start a YaST module (for instance, the sw\_single module used to install software) directly from the command line? (Choose two.)

- A. yast sw\_single
- B. yast2 sw\_single
- C. yast2 -m sw\_single
- D. yast - -start sw\_single
- E. yast2 - -module sw\_single

**ANSWER: A B**

**Explanation:**

References:

[https://www.suse.com/documentation/sles10/book\\_sle\\_reference/data/cha\\_yast2.html](https://www.suse.com/documentation/sles10/book_sle_reference/data/cha_yast2.html)  
[http://doc.opensuse.org/documentation/html/openSUSE\\_114/opensuse-reference/cha.yast.text.html](http://doc.opensuse.org/documentation/html/openSUSE_114/opensuse-reference/cha.yast.text.html)

**QUESTION NO: 10**

Using the nice command, what is the highest priority a normal user can assign to a process?

- A. -20
- B. 0
- C. -19
- D. 99

E. 19

F. 20

**ANSWER: A**