

# DUMPS ARENA

## Oracle WebLogic Server 12c: Administration I

Oracle 1z0-133

Version Demo

Total Demo Questions: 10

Total Premium Questions: 127

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

**QUESTION NO: 1**

When creating a dynamic cluster, you have multiple options concerning how dynamic servers are distributed across machines in your domain. Identify three supported configurations. (Choose three.)

- A. Use a single machine.
- B. Use all machines in a subnet.
- C. Use all machines in the domain.
- D. Use all percentage of machines in the domain.
- E. Use all machines whose names match an expression.

**ANSWER: A C E****QUESTION NO: 2**

A WebLogic server domain contains a dynamic cluster called "cluster1". The cluster "cluster1" has two dynamic managed servers "server1" and "server2". There is a need to view the inherited attribute values for "server2".

How do you view all attributes of "server2", including those inherited from the server template?

- A. Use WebLogic Administration Console > "server2" link.
- B. Use `java weblogic.Deployer`.
- C. You cannot, because attribute values are not inherited.
- D. Use WLST.

**ANSWER: A****QUESTION NO: 3**

Which three domain requirements can you implement with the Configuration Wizard? (Choose three.)

- A. Create a Node Manager and enroll it with the domain
- B. Create a domain using a custom template
- C. Assign virtual IP addresses to all servers
- D. Distribute domain files across multiple machines

E. Create a dynamic cluster of five servers

**ANSWER: A B D**

#### QUESTION NO: 4

You are troubleshooting Java Transaction API (JTA) transactions.

The WebLogic Server extension to JTA provides which optional transaction attribute to make troubleshooting easier?

- A. a name
- B. an ID
- C. the status of “marked for rollback”
- D. a status

**ANSWER: A**

#### Explanation:

Reference: <https://docs.oracle.com/middleware/11119/wls/WLJTA/trbtrx.htm>

#### QUESTION NO: 5

You shut down a managed server by using the administration console.

Which statement is always true?

- A. The managed server was running on the same machine as the administration server.
- B. Node Manager is configured properly and running on the managed server’s machine.
- C. You can choose to shut down the server right away or after it completes its work.
- D. The administration console calls WLST to accomplish the shutdown.

**ANSWER: C**

#### QUESTION NO: 6

Your server includes an application that users a generic JDBC data source to connect to a database. However, the network connection between the server and the database is not 100% reliable.

Identify two data source attributes that, if set properly can help avoid situations in which the application fails due to a failed JDBC connection. (Choose two.)

- A. Statement Cache Type
- B. Pool Reserve Mode
- C. Test Table Name
- D. Test Connection Mode
- E. Test Connections on Reserve

**ANSWER: C E**

**Explanation:**

References:

### QUESTION NO: 7

You create a new dynamic cluster with the following parameters:

- Number of servers: 2
- Listen port: 8101
- Enable calculated listen ports: true

To which two port numbers will the resulting two dynamic servers bind? (Choose two.)

- A. 8101
- B. 8102
- C. 8103
- D. 8100
- E. 8104

**ANSWER: A D**

### QUESTION NO: 8

You see a script called startWebLogic.sh (.cmd in Windows) in the root folder of your domain.

What does this script do?

- A. Starts a machine

- B. Starts Node Manager
- C. Starts a Managed server
- D. Calls the startWebLogic.sh script in the domain's bin directory
- E. Calls the startManagedWebLogic.sh script in the domains bin directory

**ANSWER: D**

**Explanation:**

References:

### QUESTION NO: 9

The Administration Server of a domain fails due to a hardware failure. The hardware is beyond repair.

Before the failure you prepared a "backup admin server". You go through your planned recovery process and are successful. The Administration Server is now running on different hardware. The managed servers of the domain automatically reconnect to the admin server.

Select the two statements that are true. (Choose two.)

- A. Files of deployed applications are available to the backup admin server from the same relative location as they were to the original admin server.
- B. At the time of the failure, the backup admin server was running in "Standby" mode on different hardware in the same network.
- C. When the admin server failed, you must have shut down and restarted the managed servers, otherwise they could not have reconnected to the failed admin server.
- D. The backup admin server is any one of the running managed servers. You select one of the managed servers, stop it, set its "administration" flag, and restart it as the admin server of the domain.
- E. The backup admin server must be running at the same DNS name or IP address as the original.

**ANSWER: B E**

### QUESTION NO: 10

Which machines can be configured by using the Configuration Wizard?

- A. machine and Windows machine
- B. administration machine and managed machine
- C. machine and UNIX machine

D. stand-alone machine and cluster machine

E. RDBMS machine and LDAP machine

**ANSWER: C**

**Explanation:**

References: