

# DUMPS ARENA

## Oracle EBS R12: Install, Patch and Maintain Applications

Oracle 1z0-238

Version Demo

Total Demo Questions: 10

Total Premium Questions: 156

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

## Topic Break Down

Topic	No. of Questions
Topic 1, Section A	75
Topic 2, Section B	49
Topic 3, Section C	32
<b>Total</b>	<b>156</b>

**QUESTION NO: 1**

The Applications DBA needs to clone the Production system. Examine the list of steps that the Applications DBA is considering.

- A. Verify the source and target nodes' software versions.
- B. Apply the Rapid Clone patch.
- C. Run AutoConfig on the application tier.
- D. Set up Rapid Clone on the database tier.
- E. Prepare the source system.
- F. Copy the source system to the target system.
- G. Configure the target system.
- H. Perform the finishing tasks.
- I. Test the target system.
- J. Back up the target system.

Which step is NOT a part of the cloning process?

- A.** step A
- B.** step B
- C.** step C
- D.** step D
- E.** step F
- F.** step G
- G.** step J

**ANSWER: G**

**QUESTION NO: 2**

When you execute `adutconf.sql` as the apps database user, it creates a file called `adutconf.lst`.

Identify the configuration information that will be captured in `adutconf.lst`. (Choose four.)

- A.** Product installation status

- B. Rollback segment information
- C. Version of Oracle Applications
- D. Status of Multiorg enabled or not
- E. Location and size of database data files
- F. Versions of all ORACLE\_HOMEs used by Oracle Applications R12

**ANSWER: A B C D**

### QUESTION NO: 3

Which option is required when using the Applied Patches Advanced Search feature in OAM?

- A. Patch ID
- B. Language
- C. Server Type
- D. Applications System Name
- E. Product that owns the patch
- F. Applied From Date and To Date
- G. APPL\_TOP where the patches were applied

**ANSWER: D**

### QUESTION NO: 4

Identify which three statements are true about restart files. (Choose three.)

- A. Each worker has a restart file called adworkxxx.rf9.
- B. All workers have one restart file called adwork.rf9.
- C. By default, AD utilities delete their restart files when processing completes, but leave no backup versions.
- D. The worker creates the restart file when the manager assigns it a job and deletes the restart file when it finishes the job.
- E. By default, AD utilities delete their restart files when processing completes, but leave backup versions with the .bak, .bk2, or .bk3 extensions.
- F. Restart files are stored in \$APPL\_TOP/admin//restart or in %APPL\_TOP%\admin\restart on Windows.

**ANSWER: A D E**

**QUESTION NO: 5**

Which three statements are true about the AD Merge program? (Choose three.)

- A.** The AD Merge Patch creates the merged patch driver files and copies the actual files needed by the merged patches into the destination directory.
- B.** You can merge patches without unzipping the automated release updates by using the manifest file. The manifest file is a text in which you document the location and names of the patch zip files. The contents of a manifest file would resemble the following: `/home/applmgr/patches/p123456_11i_GENERIC.zip/home/applmgr/patches/p233455_11i_SUN.zip/home/applmgr/patches/p902345_11i_LINUX.zip`
- C.** The AD Merge Patch supports both split patch driver files and unified patch driver files. If all the source patches have split driver files, the merged patch has split driver files. If any of the source patches has a unified driver file, the merged patch has a unified driver file.
- D.** When merging patches, the source and destination directories cannot be child or parent directories of each other. It is recommended to run AD Merge Patch from the parent directory of the source directory, and the destination directory should also be located in the same parent directory.

**ANSWER: A C D**

**QUESTION NO: 6**

Identify three situations where relinking may be necessary. (Choose three.)

- A.** after running AutoConfig
- B.** after the server libraries are updated
- C.** after the product JAR files are generated
- D.** when executable programs become corrupted
- E.** when executable programs are accidentally deleted

**ANSWER: B D E**

**QUESTION NO: 7**

Identify the correct statement regarding the AutoPatch utility in R12.

- A.** AutoPatch does not verify the APPL\_TOP name.
- B.** AutoPatch prompts the user for the SYSTEM and APPS passwords.

- C. AutoPatch does not verify if the system is in maintenance mode or not.
- D. AutoPatch does not verify whether the concurrent programs are installed in the current APPL\_TOP.
- E. AutoPatch does not verify whether it is pointing to the correct database and Applications technology stack.

**ANSWER: B**

#### QUESTION NO: 8

The Oracle Applications R12 database administrator (DBA) runs the "Recreate grants and synonyms for APPS schema" task by using the adadmin utility when grants or synonyms are missing from the database. Which three causes are responsible for this? (Choose three.)

- A. incomplete database migrations (exports or imports)
- B. patch and administrative sessions that failed to run successfully to completion
- C. invoking PL/SQL routines to maintain multilingual tables by adding missing, untranslated rows
- D. installing or maintaining Oracle Applications R12 E-Business Suite underlying database components or options such as Replication

**ANSWER: A B D**

#### QUESTION NO: 9

Which command can be used only with a single-node installation?

- A. rapidwiz -restart
- B. rapidwiz -techstack
- C. rapidwiz -servername
- D. rapidwiz -silent -config

**ANSWER: C**

#### QUESTION NO: 10

Which directory structure is created by default when you install the Oracle Applications R12 file system ?

- A. db/apps\_st/10.2.0

- B. apps/tech\_st/10.2.0
- C. apps/tech\_st/10.1.2
- D. apps/apps\_st/common

**ANSWER: C**