

DUMPS ARENA

Oracle Real Application Clusters 12c Essentials

Oracle 1z0-432

Version Demo

Total Demo Questions: 10

Total Premium Questions: 85

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

To create a policy-managed database in RAC, which three properties have to be defined?

- A. Minimum downtime before switchover occurs
- B. Minimum number of nodes
- C. Maximum number of nodes
- D. Relative importance compared to other server pools
- E. Relative uptime compared to other server pools

ANSWER: B C D

QUESTION NO: 2

You are doing a RAC implementation for a customer. Your customer states that they have the hardware to install additional network adapters on each RAC node. Identify three reasons for which they might need additional adapters

- A. Each server has at least two network adapters
- B. Each server was accidentally ordered with only one network adapter
- C. Each server is using network-attached storage on one or two of their adapters
- D. They want to use the Redundant Interconnect Usage feature
- E. Each server has two network adapters and RAC requires at least three

ANSWER: B C D

QUESTION NO: 3

Identify the incorrect statement about server pools.

- A. Server pools divide a cluster into logical groups of servers in which the application can be a database or non database.
- B. An application is considered a singleton when it runs on a single server in a pool.
The database administrator must use the CRSCTL utility to create and manage clusters that contain Oracle RAC databases
- C. Oracle Default Server Pools are defined as FREE and GENERIC Server Pools.
- D. Database administrators can create and manage server pools that will contain Oracle RAC databases by using the SRVCTL utility.

ANSWER: C

QUESTION NO: 4

Which two components are required to set up a SCAN listener for your customer's 12cR1 RAC environment?

- A. 3 virtual IP addresses on the same subnet DB
- B. 3 private IP addresses on the same subnet
- C. 3 private IP addresses on different subnets
- D. One single name that resolves to 3 1Pv4 or 1Pv2 addresses
- E. One single name that resolves to 3 1Pv6 or 1Pv4 addresses

ANSWER: A E

QUESTION NO: 5

Which statement about multipathing is incorrect?

- A. Multipathing solutions provide failover by using redundant physical path components
- B. Multipathing is a software technology implemented at the operating system device level
- C. Multipathing improves system performance by distributing the I/O load across all available paths.
- D. Multipathing is automatically configured when Oracle ASM discovers multiple paths to the same disk space.

ANSWER: D

QUESTION NO: 6

Which two statements about the Grid Infrastructure Management Repository are correct?

- A. It is a single instance database that is managed by Oracle Clusterware.
- B. It is where the Cluster Health Monitor places data.
- C. It is created during a "Typical" installation.
- D. It is stored in the ASM disk group that is used as a Fast Recovery Area.

ANSWER: B C

QUESTION NO: 7

What is the correct syntax to put a DATA1 disk offline for a failure group FG1, and drop it after five minutes?

- A. ALTER DISKGROUP data OFFLINE DISK DATA1 IN FAILGROUP FG2 DROP AFTER 5m;
- B. It is not possible to drop it after five minutes.
- C. It is not possible to specify a disk In a FAILGROUP.
- D. ALTER DISKGROUP data OFFLINE DISKS IN FAILGROUP FG2 DROP AFTER 5m;
- E. ALTER DISKGROUP data OFFLINE DISK DATA1 IN FAILGROUP FG2 DROP AFTER 5 minutes;

ANSWER: A**QUESTION NO: 8**

Arrange the following steps for converting from DNS to GNS in the proper order:

1. Start GNS.
 2. Configure GNS resource.
 3. Update database endpoint
 4. Remove static addresses so only dynamic addresses are used.
 5. Change the CRS resource to support mixed mode.
 6. Modify the registered SCAN.
- A. 1, 2, 3, 4, 5, 6
 - B. 6, 5, 4, 3, 2, 1
 - C. 2, 1, 5, 6, 3, 4
 - D. 4, 3, 6, 5, 1, 2

ANSWER: C**QUESTION NO: 9**

After creating a volume and file system for a new Oracle ASM Cluster File system, you must associate the ASM volume name with a mount point. Which command creates this registration?

- A. acfsutil -r /dev/asm/volume1-123 /mnt/acfs1
- B. acfsutil-r -a /dev/asm/volume1-123 -ro /mnt/acfs1
- C. acfsutil register -v /dev/asm/volume1-123 /mnt/acfs1

D. acfsutil registry -a /dev/asra/volumel-123 /mnt/acfs1

ANSWER: D

QUESTION NO: 10

Identify three stages of recovery of Oracle RAC Database 12cR1, which can be done in parallel with RMAN's RESTORE and RECOVER commands

- A. Applying archived redo logs
- B. Applying redo log files
- C. Applying incremental backups
- D. Restoring data files
- E. Restoring SPFILE

ANSWER: A C D