

DUMPS ARENA

Oracle Data Integrator 12cEssentials

Oracle 1z0-448

Version Demo

Total Demo Questions: 10

Total Premium Questions: 79

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Identify two correct Restart values for parallel steps in load plans. (Choose two.)

- A. Restart from new session.
- B. Restart from failure.
- C. Restart from failed children.
- D. Restart all children.

ANSWER: C D**Explanation:**

<https://docs.oracle.com/middleware/1212/odi/ODIDG/loadplans.htm#ODIDG1409>

QUESTION NO: 2

Identify two correct statements about reusable Mappings. (Choose two.)

- A. They can have generic input and output signatures.
- B. They contain both a Logical and Physical Mapping design.
- C. They can be used within regular Mappings.
- D. They can be executed directly.
- E. They can be shared across projects.

ANSWER: A B**Explanation:**

<https://docs.oracle.com/middleware/1212/odi/ODIDG/mappings.htm#ODIDG1617>

QUESTION NO: 3

Identify two correct exception behavior values for Run Scenario steps in load plans. (Choose two.)

- A. Run Exception and Restart
- B. Run Exception and Continue

- C. Run Exception and Ignore
- D. Run Exception and Fail
- E. Run Exception and Raise

ANSWER: C E

Explanation:

<https://docs.oracle.com/middleware/1212/odi/ODIDG/loadplans.htm#ODIDG1350>

QUESTION NO: 4

You are designing a Mapping. How are target and source tables defined? (Choose the best answer.)

- A. Their definition is imported with a reverse-engineering process directly from databases and other sources, but you must manually define all keys and constraints existing on the database.
- B. Their definition is imported with a reverse-engineering process directly from databases and other sources.
- C. For every load the definition of the tables used, their columns and constraints must be manually built.
- D. An external engine must be run to describe what metadata is needed for a Mapping.

ANSWER: A

Explanation:

https://docs.oracle.com/middleware/1212/odi/ODIDG/create_rev_model.htm#ODIDG234

QUESTION NO: 5

In a Mapping, you want to load the data by using a specific partition that is declared for a target table. Which statement is correct in this situation? (Choose the best answer)

- A. It is not possible to use a specific partition.
- B. Only ODI variables can be used to filter the target table loading.
- C. An option in the Mapping can be used to declare partitions but an ODI variable must be used to evaluate the correct partition value.
- D. An option in the Mapping can be used to declare the partition that has to be used for the loading.

ANSWER: D

Explanation:

http://docs.oracle.com/cd/E21764_01/integrate.11111/e12643/interfaces.htm#ODIDG1044

QUESTION NO: 6

Identify two constraints that can be used to ensure uniqueness in ODI. (Choose two.)

- A. conditions
- B. foreign keys
- C. primary keys
- D. alternate keys
- E. not null

ANSWER: B E

Explanation:

<https://docs.oracle.com/middleware/1212/odi/ODIDG/intro.htm#ODIDG113>

QUESTION NO: 7

How would a Knowledge Module, that is required to perform an aggregation in a Mapping, generate the correct code? (Choose the best answer.)

- A. The Knowledge Module must be customized because business rules and the physical implementation are strictly interlayered in ODI.
- B. The Knowledge Module must be customized only for aggregation functions.
- C. The Knowledge Module need not be customized because aggregation code is generated automatically by ODI according to the Mapping logic.
- D. The Knowledge Module need not be customized, but a variable must be used in the aggregate expression to generate the correct sum.

ANSWER: D

Explanation:

<https://docs.oracle.com/middleware/1212/odi/ODIDG/mappings.htm#ODIDG1625>

QUESTION NO: 8

You are using a customized reverse knowledge module. You want the execution to be performed in only the development data environment. Which statement is true? (Choose the best answer.)

- A. The execution should be done only on the development data environment, as long as the other environment is a mirrored copy.
- B. Only the production environment can be used.
- C. All environments linked to a logical schema can be used to reverse-engineer table structures.
- D. Only a Java engine intermediate environment can be processed.

ANSWER: C

Explanation:

http://docs.oracle.com/cd/E23943_01/integrate.11111/e12643/create_rev_model.htm#ODIDG227

QUESTION NO: 9

You are designing a package in which you want a certain step to not appear in the ODI logs. How do you accomplish this? (Choose the best answer.)

- A. Right-click the step in Package Editor and select the No Logging menu item.
- B. Modify Operator Navigator settings to disable that step from being displayed.
- C. In Package Editor, click the step, go to the Advanced tab, and set Log Steps in the journal to Never.
- D. Periodically schedule a scenario that uses OdiPurgeLog to remove that step from the ODI logs.

ANSWER: C

QUESTION NO: 10

Which two statements are true about big data support in ODI? (Choose two.)

- A. ODI uses its own transformation engine to process data in a Hadoop cluster.
- B. ODI performs data transformations inside a Hadoop cluster.
- C. ODI must perform data transformations outside Hadoop in an Oracle database.
- D. ODI allows moving data in and out of a Hadoop cluster.

ANSWER: B D

Explanation:

<https://docs.oracle.com/middleware/1213/odi/develop-app-adapters/hadoop.htm#ODIAA193>