

DUMPS ARENA

Core-Spring (based on Spring 3.2)

SpringSource CoreSpringV3.2

Version Demo

Total Demo Questions: 10

Total Premium Questions: 97

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Which of the following statements is NOT true concerning Spring Remoting? (Select one)

- A. Spring exporters handle the binding to a registry or exposing an endpoint
- B. Spring provides FactoryBeans that generate proxies to handle client-side requirements
- C. The client-side implementation must catch RemoteExceptions
- D. Spring proxies convert RemoteExceptions to a runtime exception hierarchy

ANSWER: C

QUESTION NO: 2

Identify the correct statement(s) regarding the tag (Select one or multiple answers)

- A. Can only be used with AspectJ (as opposed to Spring AOP)
- B. Enables the detection of @Aspect annotated classes
- C. Allows to define a list of names to include so Spring is not going to scan all the beans at startup

ANSWER: B C

QUESTION NO: 3

Which of the following are valid mechanisms of autowiring a dependency when multiple beans match the dependency's type? (Select one or several answers)

- A. Use of the @Qualifier and @Autowired annotations together on a field
- B. Use of the @Qualifier and @Autowired annotations together with setter methods
- C. Use of the @Qualifier annotation solely

ANSWER: A B

QUESTION NO: 4

Which of the following statements is true concerning configuring JMS Resources with Spring? (Select one)

- A. Spring cannot use a standalone JMS provider

- B. Spring can use the JMS resources provided by an application server
- C. The ConnectionFactory cannot be standalone
- D. The ConnectionFactory cannot be retrieved from JNDI

ANSWER: B

QUESTION NO: 5

Assuming a web application context name of "rewardsonline", a servlet mapping of "/admin/*", and an incoming URL of "/rewardsdonline/admin/accounts/show", what is the URL used for Spring MVC request-mapping purposes? (select one)

- A. /rewardsonline/admin/accounts/show
- B. /admin/acounts/show
- C. /accounts/show
- D. /show

ANSWER: C

QUESTION NO: 6

State which operation is not performed by the JdbcTemplate (select one)

- A. Acquisition of the connection
- B. Definition of the DataSource
- C. Execution of the statement
- D. Release of the connection

ANSWER: B

QUESTION NO: 7

Which of the following statement(s) is/are true concerning Spring Transactions? (Select one or several answers)

- A. Spring only provides support for declarative transaction management, there is no programmatic support
- B. Spring provides declarative transactions only using XML
- C. An AOP pointcut can be used to define which methods to advise for transactions
- D. Spring's tx namespace enables a concise definition of transactional advice

ANSWER: C D

QUESTION NO: 8

Which of the following statements about the BeanFactoryPostProcessor are true? (select one or several answers)

- A. Allows for the transformation of Spring bean definitions before the beans are instantiated
- B. Allows for the transformation of Spring beans after the beans have been instantiated
- C. Detects annotations such as @PostConstruct and @PreDestroy and then invokes appropriate behavior
- D. The tag causes a BeanFactoryPostProcessor to be created

ANSWER: A D

QUESTION NO: 9

What is true regarding bean definition inheritance?

- A. Parent bean definitions should always be abstract
- B. Parent bean definitions may be abstract
- C. The class attribute can be declared in a parent bean definition
- D. It is not useful to declare an id for a parent bean definition

ANSWER: B C

QUESTION NO: 10

Which statement is NOT a characteristic of Spring's PlatformTransactionManager base interface (select one)

- A. When declaring a PlatformTransactionManager implementation inside Spring configuration: as a requirement, the bean id should be "transactionManager"
- B. The PlatformTransactionManager interface abstracts the differences between local and JTA transactions
- C. There are various implementations of JTA transaction managers for different Java EE containers
- D. PlatformTransactionManager is used in both declarative and programmatic transaction management

ANSWER: A