

DUMPS ARENA

TIBCO ActiveMatrix BusinessWorks 5

Tibco TB0-123

Version Demo

Total Demo Questions: 10

Total Premium Questions: 118

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

Topic Break Down

Topic	No. of Questions
Topic 1, Volume A	63
Topic 2, Volume B	55
Total	118

QUESTION NO: 1

If flow control = X and the inbound rate is high enough, how many jobs are in the job pool?

- A. X/2 to X
- B. X
- C. X-2 to X
- D. X-1 to X

ANSWER: A

QUESTION NO: 2


Which activities prohibit transitions to other activities?

- A. Generate Error and Set Shared Variable
- B. Inspector and Catch
- C. Catch and Rethrow
- D. Rethrow and Generate Error

ANSWER: D

QUESTION NO: 3

Click the Exhibit button.



This process uses JMS Local transaction. The JMS Topic Publishers all point to JMS

Shared Connection1. The JMS Queue Senders all point to JMS Shared Connection2. The JMS Queue Receiver is configured to tie into Group A(1).How many transactions are committed if the process executes successfully?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

ANSWER: C

QUESTION NO: 4

Which two statements are true about the Catch activity? (Choose two.)

- A. It is used to catch an error from any activity that has a transition into it.
- B. It may be used in subprocesses.
- C. It allows a transition back to the main execution path before the End activity.
- D. Multiple Catch activities might be in the same exception scope.

ANSWER: B D

QUESTION NO: 5

A BusinessWorks process must be deployed that receives input from an EMS topic and publishes data to an EMS queue. The topic and queue names must contain a token used for migrating between testing and production environments. The system administrator must be able to purge the topic and queue from within the TIBCO Administrator.

Which two tools should you use to create a TIBCO Administrator domain that meets these requirements? (Choose two.)

- A. Domain Utility
- B. Designer
- C. BusinessWorks Global Variable
- D. AppManage Utility

ANSWER: A C

QUESTION NO: 6

Process A has a Timer. Process B has a JMS Queue Receiver. Process C has a JMS Topic Subscriber. These processes are to be deployed on two machines and configured to operate in fault-tolerant and load-balanced mode. Which two steps should you take to achieve this configuration? (Choose two.)

- A. bundle the Timer and the JMS Queue Receiver in one EAR file and deploy it in faulttolerant mode
- B. bundle the JMS Topic Subscriber and Timer in one EAR file and deploy it in faulttolerant mode
- C. put the JMS Queue Receiver in its own EAR and deploy it twice
- D. bundle the two JMS-based starters in one EAR file and deploy it twice
- E. put the Timer in its own EAR and deploy it in fault-tolerant mode
- F. put the JMS Topic Subscriber in its own EAR file and deploy it twice

ANSWER: B C

QUESTION NO: 7

A BusinessWorks process must be deployed that receives input from an EMS topic and publishes data to an EMS queue. The topic and queue names must contain a token used for migrating between testing and production environments. The system administrator must be able to purge the topic and queue from within the TIBCO Administrator. Which two steps should be taken to create a TIBCO Administrator domain that meets these requirements?

(Choose two.)

- A. The EMS server should be added to the domain using the Domain Utility.
- B. Topics and queues should be configured as global.

- C. Topics and queues should be created as failsafe.
- D. A global variable should be used for migrating between environments.

ANSWER: A D

QUESTION NO: 8

How do TIBCO Designer projects store trusted certificates?

- A. in PKCS12 format
- B. in PEM format
- C. in PPK format
- D. in PFX format

ANSWER: B

QUESTION NO: 9

Which two statements are true about activities that support breakpoints? (Choose two.)

- A. The Start activity can have breakpoints before or after.
- B. The End activity can have breakpoints before or after.
- C. Job Starter activities can have breakpoints before or after.
- D. Any activity that waits for a message can have breakpoints before or after.
- E. Any activity that responds to a message can have breakpoints before or after.

ANSWER: A C

QUESTION NO: 10

Which web server implementation is used by default in ActiveMatrix BusinessWorks?

- A. Jetty
- B. Tomcat

C. JBoss

D. GlassFish

ANSWER: B